

# Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

## 1. Species Information

1.1 Member State	Greece
1.2.2 Natura 2000 code	A095
1.3 Species name	Falco naumanni
1.3.1 Sub-specific population	
1.4 Alternative species name	
1.5 Common name	Κιρκινέζι
1.6 Season	Passage (P)

## 2. Population size

2.1 Year or period			
2.2 Population size	a)Unit	N/A	
	b)Min		c)Max
2.3 Type of estimate	N/A		
2.4 Method used	N/A		
2.5 Quality	N/A		
2.6 Sources			
2.8 Additional information			

## 3. Population trend

### 3.1 Short-term trend (last 12 years)

3.1.1 Period			
3.1.2 Trend direction	N/A		
3.1.3 Magnitude	a)Min		b)Max
3.1.4 Method used	N/A		
3.1.5 Quality	N/A		
3.1.6 Sources			

### 3.2 Long-term trend (since c. 1980)

3.2.1 Period			
3.2.2 Trend direction	N/A		
3.2.3 Magnitude	a)Min		b)Max
3.2.4 Method used	N/A		
3.2.5 Quality	N/A		
3.2.6 Sources			
3.3 Additional information			

## 4. Breeding distribution map and range size

# Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

4.1 Year or period	
4.2 Sensitive species	No
4.3 Distribution map	No
4.4 Additional distribution map	No
4.5 Range map	No
4.6 Range surface area	
4.7 Method used	N/A
4.8 Quality	N/A
4.9 Sources	
4.11 Additional information	

## 5. Breeding range trend

### 5.1 Short-term trend (last 12 years)

5.1.1 Period		
5.1.2 Trend direction	N/A	
5.1.3 Magnitude	a)Min	b)Max
5.1.4 Method used	N/A	
5.1.5 Quality	N/A	
5.1.6 Sources		

### 5.2 Long-term trend (since c. 1980)

5.2.1 Period		
5.2.2 Trend direction	N/A	
5.2.3 Magnitude	a)Min	b)Max
5.2.4 Method used	N/A	
5.2.5 Quality	N/A	
5.2.6 Sources		
5.3 Additional information		

## 6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.1 Type of plan	Species Action Plans (SAP)
6.2 National plan adopted?	False
6.3 Measures linked to SAP/MP/BMS	Falco naumanni is protected since 1977. Nest boxes have been provided in several SPA's with success by several small budget projects run by HOS, Universities, Hunting Associations etc. New SPAs have been designated for the species.
6.4 Further Information	Breeding occurs mainly in Thessaly, the biggest colony being of 200 pairs. The species is legally protected and included in the Red Data Book (1990) as Vulnerable. It is present in Kalamas Gorge (Thesprotia, IBA 050) and Mount Dirfis and the peaks of Xirovouni, Skotini, Mavrovouni, Alokteri, Ortari and the vicinity of Kimi (Evia, IBA 071) (Grimmett and Jones 1989). A full survey involving schoolchildren was carried out in 1994, as well as a study on sexual dimorphism, including ringing. A complete survey of Thessaly in 1995 identified 104 colonies containing 2679 pairs (Hallmann 1996)

# Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

LIFE11 NAT/GR/001011  
(<http://www.lifelesserkestrel.eu>)

[http://ec.europa.eu/environment/nature/conservation/wildbirds/action\\_plans/docs/falco\\_naumanni.pdf](http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/falco_naumanni.pdf)

## 7. Main pressures and threats

Pressure	impact	quality	location	sources
agricultural intensification (A02.01)	high importance (H)	Moderate (2)	Inside the Member State (4)	Δημαλέξης, Τ., Καστρίτης, Γ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλίδης, Λ., Ξηρουχάκης, Σ., Τσαϊτρίδης, Χ., Παρραζογλου, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπείδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, ειδών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. Available at: <a href="http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEKE%3D&amp;tabid=539&amp;language=el-GR">http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEKE%3D&amp;tabid=539&amp;language=el-GR</a> .
abandonment of crop production (A06.04)	high importance (H)	Moderate (2)	Inside the Member State (4)	Δημαλέξης, Τ., Καστρίτης, Γ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλίδης, Λ., Ξηρουχάκης, Σ., Τσαϊτρίδης, Χ., Παρραζογλου, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπείδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, ειδών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. Available at: <a href="http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEKE%3D&amp;tabid=539&amp;language=el-GR">http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEKE%3D&amp;tabid=539&amp;language=el-GR</a> .

# Bird species' status and trends reporting format for the period 2008-2012

## (Annex 2)

Urbanised areas, human habitation (E01) high importance (H)	Moderate (2)	Inside the Member State (4)	Δημαλέξης, Τ., Καστρίτης, Γ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλίδης, Λ., Ξηρουχάκης, Σ., Τσαϊτερίδης, Χ., Παρραζογιού, C. & Barou, Β. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδυκής Προστασίας της ορνιθοπείδας. Παραδοτέο 8. Οδηγία οικολογικών απαιτήσεων, ειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. Available at: <a href="http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEKKE%3D&amp;tabid=539&amp;language=el-GR">http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEKKE%3D&amp;tabid=539&amp;language=el-GR</a> .	
abandonment of pastoral systems, lack of grazing (A04.03)	medium importance (M)	Moderate (2)	Inside the Member State (4)	Λεγάκις, Α. & Μαραγκού, Γ (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. Available at: <a href="http://www.ypeka.gr/LinkClick.aspx?fileticket=TPsw%21PNVX8%3d&amp;tabid=518&amp;language=el-GR">http://www.ypeka.gr/LinkClick.aspx?fileticket=TPsw%21PNVX8%3d&amp;tabid=518&amp;language=el-GR</a>

## 8. SPA coverage and conservation measures

### 8.1 Population inside the SPA network

8.1.1 Population size	a)Unit	N/A	b)Min	c)Max
8.1.2 Method used	Absent data (0)			
8.1.3 Short-term trend of population	N/A			

### 8.2 Conservation Measures

8.2.1 Measure	8.2.2 Type	8.2.3 Ranking	8.2.4 Location	8.2.5 Broad Evaluation
Establish protected areas/sites (6.1)	Legal Administrative One-off	medium importance (M)	Inside	Long term
Legal protection of habitats and species (6.3)	Legal Administrative One-off	high importance (H)	Both	Maintain Long term