

Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

1. Species Information

1.1 Member State	Greece
1.2.2 Natura 2000 code	A688-B
1.3 Species name	Botaurus stellaris stellaris
1.3.1 Sub-specific population	C & E Europe, Black Sea & E Mediterranean (bre)
1.4 Alternative species name	
1.5 Common name	(Ευρασιατικός) Ήταυρος
1.6 Season	Breeding (B)

2. Population size

2.1 Year or period	2000-2012
2.2 Population size	a)Unit number of calling/lekking males (cmale) b)Min 500 c)Max 550
2.3 Type of estimate	The best available single figure or range (Best estimate)
2.4 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.5 Quality	Moderate (2)
2.6 Sources	1) Δημαλέξης, Τα., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παραζογίου, C. & Βαρον, Β. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 2) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. 3) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τα. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.
2.8 Additional information	

3. Population trend

3.1 Short-term trend (last 12 years)

3.1.1 Period	2000-2012
3.1.2 Trend direction	Increase (+)
3.1.3 Magnitude	a)Min 2050 b)Max 2050
3.1.4 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)
3.1.5 Quality	Moderate (2)
3.1.6 Sources	1) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. 3) Natura Viewer (http://natura2000.eea.europa.eu/#). 4) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παραζογίου, C. & Βαρον, Β. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού τ

Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)

5.1.1 Period	2000-2012
5.1.2 Trend direction	Unknown (x)
5.1.3 Magnitude	a)Min b)Max
5.1.4 Method used	Absent data (0)
5.1.5 Quality	N/A
5.1.6 Sources	

5.2 Long-term trend (since c. 1980)

5.2.1 Period	1980-2012
5.2.2 Trend direction	Unknown (x)
5.2.3 Magnitude	a)Min b)Max
5.2.4 Method used	Absent data (0)
5.2.5 Quality	N/A
5.2.6 Sources	
5.3 Additional information	

6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.1 Type of plan	Species Action Plans (SAP)
6.2 National plan adopted?	False
6.3 Measures linked to SAP/MP/BMS	Botaurus stellaris is legally protected since 1985 (Ministerial Decision nº 414985/85). It is included in the Greek Red Data Book as Endangered.
6.4 Further Information	http://ec.europa.eu/environment/nature/conservation/wildbirds/action_plans/docs/botaurus_stellaris.pdf

7. Main pressures and threats

8. SPA coverage and conservation measures

8.1 Population inside the SPA network

8.1.1 Population size	a)Unit N/A
	b)Min c)Max
8.1.2 Method used	N/A
8.1.3 Short-term trend of population	N/A

8.2 Conservation Measures

Bird species' status and trends reporting format for the period 2008-2012 (Annex 2)