

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	GR
0.2.1 Species code	5363
0.2.2 Species name	Rana kurtmuelleri
0.2.3 Alternative species scientific name	Pelophylax kurtmuelleri
0.2.4 Common name	Valkanovatrahos

## 1. National Level

### 1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

## 2. Biogeographical Or Marine Level

### 2.1 Biogeographical Region

#### Mediterranean (MED)

### 2.2 Published sources

Lymberakis, P., Poulakakis, N., Manthalou, G., Tsigenopoulos, C.S., Magoulas, A. and Mylonas, M. 2007. Mitochondrial phylogeography of Rana (Pelophylax) populations in the Eastern Mediterranean region. *Molecular Phylogenetics and Evolution* 44: 115–125. [↗](#)

Valakos, E., Pafilis, P., Sotiropoulos, K., Lymberakis, P., Maragou, P., Foufopoulos, J. 2008 *The Amphibians and Reptiles of Greece*. 463pp Chimaira Editions

### 2.3 Range

2.3.1 Surface area - Range (km <sup>2</sup> )	38343,03
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km <sup>2</sup> ) operator approximately equal to (≈) unkown No method A wide ranging species. None of the known populations became extinct since 1994. FRV is the total of the range which excludes the unfavorable altitude areas.
2.3.10 Reason for change	Improved knowledge/more accurate dataUse of different method

### 2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 1x1 km grid cells (grids1x1) min 5567 max 7834
2.4.3 Additional information	Definition of locality

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Conversion method	
Problems	There are no adequate references or measurements regarding the population size or population densities. Based on the available data an estimation of the population using as unit the number of individuals doesn't seem feasible at this stage.
2.4.4 Year or period	2012
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.6 Short-term trend period	2001-2012
2.4.7 Short term trend direction	unknown (x)
2.4.8 Short-term trend magnitude	min max confidence interval
2.4.9 Short-term trend method	Estimate based on expert opinion with no or minimal sampling (1)
2.4.10 Long-term trend period	
2.4.11 Long term trend direction	N/A
2.4.12 Long-term trend magnitude	min max confidence interval
2.4.13 Long-term trend method	N/A
2.4.14 Favourable reference population	number operator approximately equal to (≈) unknown No method There were no previous estimations of population. However there are no indications or reports of significant population decline. FRV has been set at the current population level.
2.4.15 Reason for change	Improved knowledge/more accurate data Use of different method

## 2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km <sup>2</sup> )	7834
2.5.2 Year or period	2012
2.5.3 Method used - habitat	Estimate based on partial data with some extrapolation and/or modelling (2)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	A widely distributed generalist species. Random surveys have been conducted in the distribution areas.
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km <sup>2</sup> )	20528
2.5.10 Reason for change	Improved knowledge/more accurate data Use of different method

## 2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
disposal of industrial waste (E03.02)	low importance (L)	N/A
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
human induced changes in hydraulic conditions (J02)	low importance (L)	N/A
Water abstractions from surface waters (J02.06)	low importance (L)	N/A

2.6.1 Method used – pressures mainly based on expert judgement and other data (2)

## 2.7 Main Threats

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Threat	ranking	pollution qualifier(s)
disposal of industrial waste (E03.02)	low importance (L)	N/A
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
human induced changes in hydraulic conditions (J02)	low importance (L)	N/A
Water abstractions from surface waters (J02.06)	low importance (L)	N/A

2.7.1 Method used – threats expert opinion (1)

## 2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

The range estimations do not include unfavorable altitude areas.

2.8.3 Trans-boundary assessment

## 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Favourable (FV)  
qualifiers N/A

2.9.2. Population assessment Unknown (XX)  
qualifiers N/A

2.9.3. Habitat assessment Favourable (FV)  
qualifiers N/A

2.9.4. Future prospects assessment Favourable (FV)  
qualifiers N/A

2.9.5 Overall assessment of Conservation Status Favourable (FV)

2.9.5 Overall trend in Conservation Status N/A

## 3. Natura 2000 coverage and conservation measures - Annex II species

### 3.1 Population

3.1.1 Population Size Unit N/A  
min max

3.1.2 Method used N/A

3.1.3 Trend of population size within N/A

### 3.2 Conversation Measures