

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	GR
0.2.1 Species code	1846
0.2.2 Species name	<i>Fritillaria drenovskii</i>
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2009-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Mediterranean (MED)

2.2 Published sources

Strid A., Tan K. (eds). 1997. Flora and Vegetation of North East Greece including Thasos and Samothraki. Report of a student excursion from the University of Copenhagen.

Strid A., Flora Hellenica Database, Copenhagen

Kamari G. 1991. Bot. Chron. 10:253-270

Ζαχάρωφ- Πουρπουτίδη Ε. 1987. Βιομετρική και κυτταρολογική μελέτη του γένους *Fritillaria* L. στην Ελλάδα. Διδακτορική Διατριβή, Ανεξάρτητη Έκδοση, Θεσσαλονίκη

Zaharof E., 1998, A phenetic study of *Fritillaria* (Liliaceae) in Greece, Pl. Syst. Evol., 161: 23-34.

2.3 Range

2.3.1 Surface area - Range (km ²)	2300
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	unknown (x)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) 2300 operator N/A unkown No method Favourable reference range was based on the sum of the historic and current distribution of the species. Two pre-1943 localities where the plant has not been confirmed since have been excluded from the range.

2.3.10 Reason for change

2.4 Population

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.4.1 Population size (individuals or agreed exception)	Unit	N/A		
	min		max	
2.4.2 Population size (other than individuals)	Unit	number of map 5x5 km grid cells (grids5x5)		
	min	10	max	14
2.4.3 Additional information	Definition of locality			
	Conversion method			
	Problems			
2.4.4 Year or period	2000-2012			
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)			
2.4.6 Short-term trend period				
2.4.7 Short term trend direction	unknown (x)			
2.4.8 Short-term trend magnitude	min		max	confidence interval
2.4.9 Short-term trend method	Absent data (0)			
2.4.10 Long-term trend period				
2.4.11 Long term trend direction	N/A			
2.4.12 Long-term trend magnitude	min		max	confidence interval
2.4.13 Long-term trend method	N/A			
2.4.14 Favourable reference population	number			
	operator	N/A		
	unknown	Yes		
	method			
2.4.15 Reason for change				

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)	5,8
2.5.2 Year or period	2012
2.5.3 Method used - habitat	Estimate based on partial data with some extrapolation and/or modelling (2)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	The species grows at dry, rocky places in montane and subalpine meadows sometimes at openings of Fagus or hazel forests, mainly on limestone and sometimes on schist. This habitat is abundant and mostly of good quality (regarding species composition and structure) at the distribution area of the plant.
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	unknown (x)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km ²)	0
2.5.10 Reason for change	

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
non intensive grazing (A04.02)	low importance (L)	N/A

2.6.1 Method used – pressures based exclusively or to a larger extent on real data from sites/occurrences or other

2.7 Main Threats

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Threat	ranking	pollution qualifier(s)
non intensive grazing (A04.02)	low importance (L)	N/A

2.7.1 Method used – threats expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

Note on 2.3.1. The presence of the species has been confirmed in the period 2009-2014 at 9 cells of its distribution and is considered present by expert opinion at 1 more cell (last recorded in 2002).
 Note on 2.4. There has been no estimation of the population size of the species but it is known that it is frequent at high altitude grasslands where it may be considered a typical species.

2.4.4. the actual period is 1956-2014

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Favourable (FV)

qualifiers N/A

2.9.2. Population assessment Unknown (XX)

qualifiers N/A

2.9.3. Habitat assessment Favourable (FV)

qualifiers N/A

2.9.4. Future prospects assessment Favourable (FV)

qualifiers N/A

2.9.5 Overall assessment of Conservation Status Favourable (FV)

2.9.5 Overall trend in Conservation Status N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size Unit N/A
 min max

3.1.2 Method used N/A

3.1.3 Trend of population size within N/A

3.2 Conversation Measures