

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	GR
0.2.1 Species code	6283
0.2.2 Species name	Nepeta argolica ssp dirphya
0.2.3 Alternative species scientific name	Nepeta dirphya (Boiss.) Heldr. ex Halácsy
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2007-2012
1.1.4 Additional map	Yes
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region	Mediterranean (MED)
2.2 Published sources	

2.3 Range

2.3.1 Surface area - Range (km ²)	88
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2002-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unkown No method The Favourable reference range is based on the sum of the current and historical distribution of the species. One low altitude locality was excluded, since it is rather improbable for the plant to occur there.
2.3.10 Reason for change	Improved knowledge/more accurate dataUse of different method

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit number of individuals (i) min 60000 max 80000
2.4.2 Population size (other than individuals)	Unit N/A min max
2.4.3 Additional information	Definition of locality Conversion method Problems

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.4.4 Year or period	2007-2012		
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.6 Short-term trend period	2002-2012		
2.4.7 Short term trend direction	stable (0)		
2.4.8 Short-term trend magnitude	min	max	confidence interval
2.4.9 Short-term trend method	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.10 Long-term trend period			
2.4.11 Long term trend direction	N/A		
2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference population	number	60000	
	operator	N/A	
	unknown	No	
	method	d) The favourable reference population is defined as the minimum value estimated for the size of the population. This value is much larger than any theoretically estimated Minimum Viable Population.	
2.4.15 Reason for change	Improved knowledge/more accurate data		

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)	0,28		
2.5.2 Year or period	2007-2012		
2.5.3 Method used - habitat	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.5.4 a) Quality of habitat	Good		
2.5.4 b) Quality of habitat - method	The habitat of the species (scree, rocky limestone slopes and cliffs) is widespread at the high altitudes of Central Euboean mountains. Furthermore, the species easily occupies disturbed areas within its natural distribution range.		
2.5.5 Short term trend period	2002-2012		
2.5.6 Short term trend direction	stable (0)		
2.5.7 Long-term trend period			
2.5.8 Long term trend direction	N/A		
2.5.9 Area of suitable habitat (km ²)	16		
2.5.10 Reason for change	Improved knowledge/more accurate data		

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
non intensive goat grazing (A04.02.04)	medium importance (M)	N/A
2.6.1 Method used – pressures	based exclusively or to a larger extent on real data from sites/occurrences or other	

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
intensive cattle grazing (A04.01.01)	medium importance (M)	N/A
2.7.1 Method used – threats	expert opinion (1)	

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends
2.8.2 Other relevant Information
2.8.3 Trans-boundary assessment

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Favourable (FV) qualifiers N/A
2.9.2. Population	assessment Favourable (FV) qualifiers N/A
2.9.3. Habitat	assessment Favourable (FV) qualifiers N/A
2.9.4. Future prospects	assessment Favourable (FV) qualifiers N/A
2.9.5 Overall assessment of Conservation Status	Favourable (FV)
2.9.5 Overall trend in Conservation Status	N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	number of individuals (i)
	min	20000 max 30000
3.1.2 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
3.1.3 Trend of population size within	stable (0)	

3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Legal protection of habitats and species (6.3)	Legal	high importance (H)	Inside	Long term
Regulation/ Management of hunting and taking (7.1)	Legal	high importance (H)	Inside	Long term