

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	GR
0.2.1 Species code	1308
0.2.2 Species name	Barbastella barbastellus
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

## 1. National Level

### 1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	1985-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

## 2. Biogeographical Or Marine Level

### 2.1 Biogeographical Region

#### Mediterranean (MED)

### 2.2 Published sources

Helversen O. v. & Weid R. 1990: Die Verbreitung einiger Fledermausarten in Griechenland. Bonn. Zool. Beitr. 41: 9–22.; - Helversen O. v., Heller K.-G., Mayer F., Nemeth A., Volleth M. & Gombkötö P. 2001: Cryptic mammalian species: a new species of whiskered bat (*Myotis alcaethoe* n. sp.) in Europe. Naturwissensch. 88: 217–223.; - Volleth M. 1987: Differences in the location of nucleolus organizer regions in European vespertilionid bats. Cytogenet. Cell Genet. 44: 186–197.

### 2.3 Range

2.3.1 Surface area - Range (km <sup>2</sup> )	75396
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	unknown (x)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km <sup>2</sup> ) operator N/A unkown Yes method Expert judgement
2.3.10 Reason for change	Improved knowledge/more accurate dataUse of different method

### 2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 5x5 km grid cells (grids5x5) min 100 max 500
2.4.3 Additional information	Definition of locality Conversion method Impossible to convert data

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

	Problems	Method used for population estimates in 5X5 grid cells from ecological niche modelling: all 5X5 grid cells inside current species distribution were selected with probability of occurrence greater than 0,3 (p>0,3) for minimum population estimate and greater than 0,2 (p>0,2) for maximum population estimate	
2.4.4 Year or period	1985-2012		
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.6 Short-term trend period	2001-2012		
2.4.7 Short term trend direction	unknown (x)		
2.4.8 Short-term trend magnitude	min	max	confidence interval
2.4.9 Short-term trend method	Absent data (0)		
2.4.10 Long-term trend period			
2.4.11 Long term trend direction	N/A		
2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference population	number		
	operator	N/A	
	unknown	Yes	
	method		
2.4.15 Reason for change	Improved knowledge/more accurate data	Use of different method	

## 2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km <sup>2</sup> )	40200
2.5.2 Year or period	1985-2012
2.5.3 Method used - habitat	Estimate based on partial data with some extrapolation and/or modelling (2)
2.5.4 a) Quality of habitat	Moderate
2.5.4 b) Quality of habitat - method	Very dependent on old growth forests which are threatened. Also very dependent on hedgerows which are lacking because of intensified agricultural practices.
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	unknown (x)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km <sup>2</sup> )	48150
2.5.10 Reason for change	Improved knowledge/more accurate data Use of different method

## 2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
agricultural intensification (A02.01)	medium importance (M)	N/A
removal of hedges and copses or scrub (A10.01)	medium importance (M)	N/A
forestry clearance (B02.02)	medium importance (M)	N/A
removal of dead and dying trees (B02.04)	medium importance (M)	N/A

2.6.1 Method used – pressures mainly based on expert judgement and other data (2)

## 2.7 Main Threats

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Threat	ranking	pollution qualifier(s)
agricultural intensification (A02.01)	medium importance (M)	N/A
removal of hedges and copses or scrub (A10.01)	medium importance (M)	N/A
forestry clearance (B02.02)	medium importance (M)	N/A
removal of dead and dying trees (B02.04)	medium importance (M)	N/A

2.7.1 Method used – threats expert opinion (1)

## 2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

For this species not enough data were collected during the period 2001-2014. Thus, the distribution, range, population size, habitat area and suitable habitat area were calculated or estimated using the most recent qualitative and quantitative data.

2.8.3 Trans-boundary assessment

## 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Unknown (XX)  
qualifiers N/A

2.9.2. Population assessment Unknown (XX)  
qualifiers N/A

2.9.3. Habitat assessment Inadequate (U1)  
qualifiers unknown (x)

2.9.4. Future prospects assessment Inadequate (U1)  
qualifiers declining (-)

2.9.5 Overall assessment of Conservation Status Inadequate (U1)

2.9.5 Overall trend in Conservation Status unknown (x)

## 3. Natura 2000 coverage and conservation measures - Annex II species

### 3.1 Population

3.1.1 Population Size Unit number of map 5x5 km grid cells (grids5x5)  
min 25 max 125

3.1.2 Method used Estimate based on partial data with some extrapolation and/or modelling (2)

3.1.3 Trend of population size within N/A

### 3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Establish protected areas/sites (6.1)	Legal One-off	medium importance (M)	Inside	Enhance Long term