

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	GR
0.2.1 Species code	1321
0.2.2 Species name	Myotis emarginatus
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	Yes
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	1985-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Mediterranean (MED)

Benda P., Georgiakakis P., Dietz C., Hanák V., Galanaki K., Markantonatou V., Chudárková A., Hulva P. & Horáček I. 2009. Bats (Mammalia: Chiroptera) of the eastern Mediterranean and middle east. Part 7. The bat fauna of Crete, Greece. Acta Soc. Zool. Bohem. 72: 105–190; - Crucitti P. 1988: Chirotteri della Tracia e dell'isola di Samotraccia. Atti Soc. Ital. Sci. Natl. Mus. Civ. Stor. Natur. Milano 129: 78–84.; - Hanak V., Benda P., Ruedi M., Horacek I. & Sofianidou T. S. 2001: Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 2. New records and review of distribution of bats in Greece. Acta Societatis Zoologicae Bohemicae 65: 279–346.; - Helversen O. v. & Weid R. 1990: Die Verbreitung einiger Fledermausarten in Griechenland. Bonn. Zool. Beitr. 41: 9–22.; - Helversen O. v., Heller K.-G., Mayer F., Nemeth A., Volleth M. & Gombkötö P. 2001: Cryptic mammalian species: a new species of whiskered bat (*Myotis alcathoe* n. sp.) in Europe. Naturwissensch. 88: 217–223.; - Heude S. 2013: Seasonal distribution of cave-dwelling bats and conservation status on the Island of Lesbos, Greece. Internship report. University of Montpellier 2; - Ivanova T. 2000: New data on bats (Mammalia: Chiroptera) from the Eastern Rhodopes, Greece (Thrace, Evros). Histor. Natur. Bulg. 11: 117–125.; - Papadatou, E., 2006. Ecology and conservation of the long-fingered bat *Myotis capaccinii* in the National Park of Dadia-Lefkimi Soufli, Greece. Ph.D. Dissertation, University of Leeds.; - Paragamian K., Nikoloudakis E., Papadatou E. and Sfakianaki E. 2004. Biological - Environmental Study of Maronia Cave (Rodopi, Greece). Analysis of Current Status - Proposals. Final report (in Greek). Hellenic Institute of Speleological Research, 176pp; - Pieper H. 1977: Fledermäuse aus Schleiereulen-Gewöllen von der Insel Kreta. Ztschr. Säugetierk. 43: 7–12.; - Skiba R. 2007: Zum Vorkommen der Fledermause in Kreta (Griechenland). Nyctalus(N. F.) 12(1): 52–60.

2.3 Range

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.3.1 Surface area - Range (km ²)	123897
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	unknown (x)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unknown No method Expert judgement
2.3.10 Reason for change	Improved knowledge/more accurate data Use of different method

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit number of individuals (i) min 5000 max 10000
2.4.2 Population size (other than individuals)	Unit N/A min max
2.4.3 Additional information	Definition of locality Conversion method Problems Impossible to convert grid cell to individuals
2.4.4 Year or period	1985-2012
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.6 Short-term trend period	2001-2012
2.4.7 Short term trend direction	unknown (x)
2.4.8 Short-term trend magnitude	min max confidence interval
2.4.9 Short-term trend method	Absent data (0)
2.4.10 Long-term trend period	
2.4.11 Long term trend direction	N/A
2.4.12 Long-term trend magnitude	min max confidence interval
2.4.13 Long-term trend method	N/A
2.4.14 Favourable reference population	number operator approximately equal to (≈) unknown No method
2.4.15 Reason for change	Improved knowledge/more accurate data Use of different method

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)	91925
2.5.2 Year or period	1985-2012
2.5.3 Method used - habitat	Estimate based on partial data with some extrapolation and/or modelling (2)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	Forages on a variety of habitats, roosts in caves and mines which are abundant, but threatened.
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	unknown (x)

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km ²)	97700
2.5.10 Reason for change	Improved knowledge/more accurate data Use of different method

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
agricultural intensification (A02.01)	medium importance (M)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
removal of hedges and copses or scrub (A10.01)	medium importance (M)	N/A
speleology (G01.04.02)	medium importance (M)	N/A
recreational cave visits (G01.04.03)	medium importance (M)	N/A
Vandalism (G05.04)	low importance (L)	N/A
closures of caves or galleries (G05.08)	medium importance (M)	N/A
underground collapses (L06)	low importance (L)	N/A

2.6.1 Method used – pressures mainly based on expert judgement and other data (2)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
agricultural intensification (A02.01)	medium importance (M)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
removal of hedges and copses or scrub (A10.01)	medium importance (M)	N/A
speleology (G01.04.02)	medium importance (M)	N/A
recreational cave visits (G01.04.03)	medium importance (M)	N/A
Vandalism (G05.04)	low importance (L)	N/A
closures of caves or galleries (G05.08)	medium importance (M)	N/A
underground collapses (L06)	low importance (L)	N/A

2.7.1 Method used – threats expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

For this species not enough data were collected during the period 2001-2014. Thus, the distribution, range, population size, habitat area and suitable habitat area were calculated or estimated using the most recent qualitative and quantitative data.

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Unknown (XX) qualifiers N/A
2.9.2. Population	assessment Unknown (XX) qualifiers N/A
2.9.3. Habitat	assessment Unknown (XX) qualifiers N/A

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.9.4. Future prospects	assessment Inadequate (U1) qualifiers declining (-)
2.9.5 Overall assessment of Conservation Status	Inadequate (U1)
2.9.5 Overall trend in Conservation Status	unknown (x)

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	number of individuals (i)		
	min	3800	max	5000
3.1.2 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)			
3.1.3 Trend of population size within	N/A			

3.2 Conservation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Establish protected areas/sites (6.1)	Legal One-off	medium importance (M)	Inside	Enhance Long term