

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	GR
0.2.1 Species code	1322
0.2.2 Species name	Myotis nattereri
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

## 1. National Level

### 1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	Yes
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	1985-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

## 2. Biogeographical Or Marine Level

### 2.1 Biogeographical Region

#### Mediterranean (MED)

### 2.2 Published sources

Hanak V., Benda P., Ruedi M., Horacek I. & Sofianidou T. S. 2001: Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 2. New records and review of distribution of bats in Greece. Acta Societatis Zoologicae Bohemicae 65: 279–346.; - Helversen O. v. & Weid R. 1990: Die Verbreitung einiger Fledermausarten in Griechenland. Bonn. Zool. Beitr. 41: 9–22.; - Papadatou, E., 2006. Ecology and conservation of the long-fingered bat Myotis capaccinii in the National Park of Dadia-Lefkimi Soufli, Greece. Ph.D. Dissertation, University of Leeds.

### 2.3 Range

2.3.1 Surface area - Range (km <sup>2</sup> )	108866
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	unknown (x)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km <sup>2</sup> ) operator approximately equal to (≈) unkown No method Expert judgement
2.3.10 Reason for change	Improved knowledge/more accurate data Use of different method

### 2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 5x5 km grid cells (grids5x5) min 500 max 1000
2.4.3 Additional information	Definition of locality

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

	Conversion method	Impossible to convert data		
	Problems	Method used for population estimates in 5X5 grid cells from ecological niche modelling: all 5X5 grid cells inside current species distribution were selected with probability of occurrence greater than 0,3 (p>0,3) for minimum population estimate and greater than 0,2 (p>0,2) for maximum population estimate		
2.4.4 Year or period	1985-2012			
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)			
2.4.6 Short-term trend period	2001-2012			
2.4.7 Short term trend direction	unknown (x)			
2.4.8 Short-term trend magnitude	min	max	confidence interval	
2.4.9 Short-term trend method	Absent data (0)			
2.4.10 Long-term trend period				
2.4.11 Long term trend direction	N/A			
2.4.12 Long-term trend magnitude	min	max	confidence interval	
2.4.13 Long-term trend method	N/A			
2.4.14 Favourable reference population	number			
	operator	N/A		
	unknown	Yes		
	method			
2.4.15 Reason for change	Improved knowledge/more accurate data		Use of different method	

## 2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km <sup>2</sup> )	71475			
2.5.2 Year or period	1985-2012			
2.5.3 Method used - habitat	Estimate based on partial data with some extrapolation and/or modelling (2)			
2.5.4 a) Quality of habitat	Unknown			
2.5.4 b) Quality of habitat - method	Unknown for the long term survival			
2.5.5 Short term trend period	2001-2012			
2.5.6 Short term trend direction	unknown (x)			
2.5.7 Long-term trend period				
2.5.8 Long term trend direction	N/A			
2.5.9 Area of suitable habitat (km <sup>2</sup> )	108950			
2.5.10 Reason for change	Improved knowledge/more accurate data		Use of different method	

## 2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Unknown threat or pressure (U)	( )	N/A

2.6.1 Method used – pressures mainly based on expert judgement and other data (2)

## 2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Unknown threat or pressure (U)	( )	N/A

2.7.1 Method used – threats expert opinion (1)

## 2.8 Complementary Information

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

For this species not enough data were collected during the period 2001-2014. Thus, the distribution, range, population size, habitat area and suitable habitat area were calculated or estimated using the most recent qualitative and quantitative data.

2.8.3 Trans-boundary assessment

## 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range

assessment Unknown (XX)  
qualifiers N/A

2.9.2. Population

assessment Unknown (XX)  
qualifiers N/A

2.9.3. Habitat

assessment Unknown (XX)  
qualifiers N/A

2.9.4. Future prospects

assessment Inadequate (U1)  
qualifiers declining (-)

2.9.5 Overall assessment of Conservation Status

Inadequate (U1)

2.9.5 Overall trend in Conservation Status

unknown (x)

## 3. Natura 2000 coverage and conservation measures - Annex II species

### 3.1 Population

3.1.1 Population Size

Unit N/A  
min max

3.1.2 Method used

N/A

3.1.3 Trend of population size within

N/A

### 3.2 Conversation Measures