

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	GR
0.2.1 Species code	1331
0.2.2 Species name	Nyctalus leisleri
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	Mikronyktovatis

## 1. National Level

### 1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	1986-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

## 2. Biogeographical Or Marine Level

### 2.1 Biogeographical Region

#### Mediterranean (MED)

### 2.2 Published sources

Benda P., Georgiakakis P., Dietz C., Hanák V., Galanaki K., Markantonatou V., Chudárková A., Hulva P. & Horáček I. 2009. Bats (Mammalia: Chiroptera) of the eastern Mediterranean and middle east. Part 7. The bat fauna of Crete, Greece. Acta Soc. Zool. Bohem. 72: 105–190; - Georgiakakis P., Kret E., Cárcamo B., Doutau B., Kafkaletou-Diez A., Vasilakis D. and Papadatou E. 2012. Bat fatalities at wind farms in north-eastern Greece. Acta Chiropterologica, 14(2): 459–468; - Hanak V., Benda P., Ruedi M., Horacek I. & Sofianidou T. S. 2001: Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 2. New records and review of distribution of bats in Greece. Acta Societatis Zoologicae Bohemicae 65: 279–346.; - Helversen O. v. & Helversen D. v. 1994: The “advertisement song” of the lesser noctule bat (Nyctalus leisleri). Folia Zool. 43: 331–338.; - Helversen O. v. & Weid R. 1990: Die Verbreitung einiger Fledermausarten in Griechenland. Bonn. Zool. Beitr. 41: 9–22.; - Papadatou, E., 2006. Ecology and conservation of the long-fingered bat Myotis capaccini in the National Park of Dadia-Lefkimi Soufli, Greece. Ph.D. Dissertation, University of Leeds.; - Rottmann R., Boye P. und Meinig H. 2003. Die Säugetierfauna am Nestos-Delta in Nordost-Griechenland. Institut für Geographie Münster

### 2.3 Range

2.3.1 Surface area - Range (km <sup>2</sup> )	121011
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km <sup>2</sup> ) operator approximately equal to (≈) unkown No method Expert judgment
2.3.10 Reason for change	Improved knowledge/more accurate dataUse of different method

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

## 2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	N/A		
	min		max	
2.4.2 Population size (other than individuals)	Unit	number of map 5x5 km grid cells (grids5x5)		
	min	883	max	1564
2.4.3 Additional information	Definition of locality			
	Conversion method	Impossible to convert data		
	Problems	Method used for population estimates in 5X5 grid cells from ecological niche modelling: all 5X5 grid cells inside current species distribution were selected with probability of occurrence greater than 0,3 (p>0,3) for minimum population estimate and greater than 0,2 (p>0,2) for maximum population estimate		
2.4.4 Year or period		1985-2012		
2.4.5 Method – population size		Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.6 Short-term trend period		2001-2012		
2.4.7 Short term trend direction		unknown (x)		
2.4.8 Short-term trend magnitude	min		max	confidence interval
2.4.9 Short-term trend method		Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.10 Long-term trend period				
2.4.11 Long term trend direction		N/A		
2.4.12 Long-term trend magnitude	min		max	confidence interval
2.4.13 Long-term trend method		N/A		
2.4.14 Favourable reference population	number			
	operator	N/A		
	unknown	Yes		
	method			
2.4.15 Reason for change		Improved knowledge/more accurate data Use of different method		

## 2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km <sup>2</sup> )		39100
2.5.2 Year or period		1985-2012
2.5.3 Method used - habitat		Estimate based on partial data with some extrapolation and/or modelling (2)
2.5.4 a) Quality of habitat		Good
2.5.4 b) Quality of habitat - method		Roosts on trees and buildings which are abundant, but threatened.
2.5.5 Short term trend period		2001-2012
2.5.6 Short term trend direction		unknown (x)
2.5.7 Long-term trend period		
2.5.8 Long term trend direction		N/A
2.5.9 Area of suitable habitat (km <sup>2</sup> )		42250
2.5.10 Reason for change		Improved knowledge/more accurate data Use of different method

## 2.6 Main Pressures

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Pressure	ranking	pollution qualifier(s)
removal of dead and dying trees (B02.04)	low importance (L)	N/A
wind energy production (C03.03)	medium importance (M)	N/A
demolishment of buildings & human structures (E06.01)	low importance (L)	N/A
reconstruction, renovation of buildings (E06.02)	low importance (L)	N/A
Vandalism (G05.04)	low importance (L)	N/A
burning down (J01.01)	low importance (L)	N/A
fire (natural) (L09)	low importance (L)	N/A

2.6.1 Method used – pressures mainly based on expert judgement and other data (2)

## 2.7 Main Threats

Threat	ranking	pollution qualifier(s)
removal of dead and dying trees (B02.04)	low importance (L)	N/A
wind energy production (C03.03)	medium importance (M)	N/A
demolishment of buildings & human structures (E06.01)	low importance (L)	N/A
reconstruction, renovation of buildings (E06.02)	low importance (L)	N/A
burning down (J01.01)	low importance (L)	N/A
fire (natural) (L09)	low importance (L)	N/A
Vandalism (G05.04)	low importance (L)	N/A

2.7.1 Method used – threats expert opinion (1)

## 2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

For this species not enough data were collected during the period 2001-2014. Thus, the distribution, range, population size, habitat area and suitable habitat area were calculated or estimated using the most recent qualitative and quantitative data.

2.8.3 Trans-boundary assessment

## 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Favourable (FV) qualifiers N/A
2.9.2. Population	assessment Unknown (XX) qualifiers N/A
2.9.3. Habitat	assessment Unknown (XX) qualifiers N/A
2.9.4. Future prospects	assessment Inadequate (U1) qualifiers declining (-)
2.9.5 Overall assessment of Conservation Status	Inadequate (U1)
2.9.5 Overall trend in Conservation Status	unknown (x)

## 3. Natura 2000 coverage and conservation measures - Annex II species

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

## 3.1 Population

3.1.1 Population Size	Unit	N/A	
	min		max
3.1.2 Method used	N/A		
3.1.3 Trend of population size within	N/A		

## 3.2 Conservation Measures