Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	**GR**
0.2.1 Species code	**2651**
0.2.2 Species name	**Eptesicus bottae**
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	1996-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region	**Mediterranean (MED)**
2.2 Published sources	Helversen O. v. 1998: Eptesicus bottae (Mammalia, Chiroptera) auf der Insel Rhodos. Bonn. Zool. Beitr. 48: 113–121.

2.3 Range

2.3.1 Surface area - Range (km²)	1411	
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	Expert judgment
2.3.10 Reason for change	Improved knowledge/more accurate dataUse of different method	

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	N/A		
	min		max	
2.4.2 Population size (other than individuals)	Unit	number of map 5x5 km grid cells (grids5x5)		
	min	33	max	40
2.4.3 Additional information	Definition of locality			
	Conversion method	Impossible to convert data		
	Problems	Method used for population estimates in 5X5 grid cells from ecological niche modelling: all 5X5 grid cells inside current species distribution were selected with probability of occurrence greater than 0,3 (p>0,3) for		

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

	minimum population estimate and greater than 0,2 (p>0,2) for maximum population estimate		
2.4.4 Year or period	2012		
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.6 Short-term trend period	2001-2012		
2.4.7 Short term trend direction	unknown (x)		
2.4.8 Short-term trend magnitude	min	max	confidence interval
2.4.9 Short-term trend method	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.10 Long-term trend period			
2.4.11 Long term trend direction	N/A		
2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference population	number		
	operator	more than (>)	
	unknown	No	
	method		
2.4.15 Reason for change	Improved knowledge/more accurate data Use of different method		

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km²)	1000
2.5.2 Year or period	2012
2.5.3 Method used - habitat	Estimate based on partial data with some extrapolation and/or modelling (2)
2.5.4 a) Quality of habitat	Moderate
2.5.4 b) Quality of habitat - method	Expert judgement based on pressures
2.5.5 Short term trend period	1998-2012
2.5.6 Short term trend direction	decrease (-)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km²)	1000
2.5.10 Reason for change	Genuine Improved knowledge/more accurate data Use of different method

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
discontinuous urbanisation (E01.02)	high importance (H)	N/A

2.6.1 Method used – pressures	mainly based on expert judgement and other data (2)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
discontinuous urbanisation (E01.02)	high importance (H)	N/A

2.7.1 Method used – threats	expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends	
2.8.2 Other relevant Information	Recent research has shown tha instead of E. bottae, E. anatolicus is present on Rhodes island. For this species not egough data were collected during the period 2001-2014. Thus, the distribution, range, population size, habitat area and suitable habitat area were calculated or estimated using the most recent qualitative and quantitative data.

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.8.3 Trans-boundary assessment	

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Unknown (XX) qualifiers N/A
2.9.2. Population	assessment Inadequate (U1) qualifiers unknown (x)
2.9.3. Habitat	assessment Inadequate (U1) qualifiers declining (-)
2.9.4. Future prospects	assessment Inadequate (U1) qualifiers declining (-)
2.9.5 Overall assessment of Conservation Status	Inadequate (U1)
2.9.5 Overall trend in Conservation Status	unknown (x)

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	N/A	
	min		max
3.1.2 Method used	N/A		
3.1.3 Trend of population size within	N/A		

3.2 Conversation Measures