

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.4.2 Population size (other than individuals)	Unit	N/A		
	min		max	
2.4.3 Additional information	Definition of locality			
	Conversion method			
	Problems			
2.4.4 Year or period	2007-2012			
2.4.5 Method – population size	Absent data (0)			
2.4.6 Short-term trend period	2001-2012			
2.4.7 Short term trend direction	unknown (x)			
2.4.8 Short-term trend magnitude	min		max	confidence interval
2.4.9 Short-term trend method	Absent data (0)			
2.4.10 Long-term trend period				
2.4.11 Long term trend direction	N/A			
2.4.12 Long-term trend magnitude	min		max	confidence interval
2.4.13 Long-term trend method	N/A			
2.4.14 Favourable reference population	number			
	operator	N/A		
	unknown	Yes		
	method			
2.4.15 Reason for change				

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)	557407,8
2.5.2 Year or period	2007-2012
2.5.3 Method used - habitat	Estimate based on expert opinion with no or minimal sampling (1)
2.5.4 a) Quality of habitat	Unknown
2.5.4 b) Quality of habitat - method	Absent data
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	unknown (x)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km ²)	0
2.5.10 Reason for change	

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
accidental capture (F03.02.05)	high importance (H)	N/A
death or injury by collision (G05.11)	low importance (L)	N/A
marine macro-pollution (i.e. plastic bags, styrofoam) (H03.03)	high importance (H)	N/A
Threats and pressures from outside the Member State (XO)	medium importance (M)	N/A
Threats and pressures from outside the EU territory (XE)	medium importance (M)	N/A

2.6.1 Method used – pressures: mainly based on expert judgement and other data (2)

2.7 Main Threats

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Threat	ranking	pollution qualifier(s)
accidental capture (F03.02.05)	high importance (H)	N/A
death or injury by collision (G05.11)	low importance (L)	N/A
marine macro-pollution (i.e. plastic bags, styrofoam) (H03.03)	high importance (H)	N/A
Threats and pressures from outside the Member State (XO)	medium importance (M)	N/A
Threats and pressures from outside the EU territory (XE)	medium importance (M)	N/A

2.7.1 Method used – threats expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

The leatherback turtle (*Dermochelys coriacea*) is considered a visitor species from the Atlantic and does not reproduce in the Mediterranean. However few individuals are regularly reported dead or injured in the Greek seas. From February 1982 until November 1984 they were confirmed 11 individuals (Margaritoulis 1986), and in the period 2007-2011 four individuals were reported at the ARCHELON Rescue Network (ARCHELON unpublished data). Leatherbacks in Greece suffer the same pressures at sea as those of *Chelonia mydas* including pressures occurring outside the EU boundaries.

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Favourable (FV)

qualifiers N/A

2.9.2. Population assessment Unknown (XX)

qualifiers N/A

2.9.3. Habitat assessment Unknown (XX)

qualifiers N/A

2.9.4. Future prospects assessment Bad (U2)

qualifiers declining (-)

2.9.5 Overall assessment of Conservation Status Bad (U2)

2.9.5 Overall trend in Conservation Status declining (-)

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size Unit N/A
min max

3.1.2 Method used N/A

3.1.3 Trend of population size within N/A

3.2 Conversation Measures