

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	GR
0.2.1 Species code	5372
0.2.2 Species name	Anatololacerta oertzeni
0.2.3 Alternative species scientific name	Lacerta oerzteni
0.2.4 Common name	Savra tis Ikarias

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Mediterranean (MED)

2.2 Published sources

Schlüter, U. 2011. Die Herpetofauna von Rhodos. Reptilia (Münster) 16 (88): 66;
 Arnold, E.N.; Arribas, O. & Carranza, S. 2007. Systematics of the Palaearctic and Oriental lizard tribe Lacertini (Squamata: Lacertidae: Lacertinae), with descriptions of eight new genera. Zootaxa 1430: 1-86;
 Valakos, E.D.; Pafilis, P.; Sotiropoulos, K.; Lymberakis, P.; Maragou, P. & Foufopoulos, J. 2008. The amphibians and reptiles of Greece. Chimaira, Frankfurt, 463 pp.

2.3 Range

2.3.1 Surface area - Range (km ²)	1939,82
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unkown No method The species occurs only in the Ikaria and Rhodes islands None of the known populations became extinct since 1994. FRV is the total of the range which excludes the unfavorable altitude areas.
2.3.10 Reason for change	

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A
	min max

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.4.2 Population size (other than individuals)	Unit	number of map 1x1 km grid cells (grids1x1)	
	min	1005	max 1355
2.4.3 Additional information	Definition of locality		
	Conversion method		
	Problems	There are no adequate references or measurements regarding the population size or population densities. Based on the available data an estimation of the population using as unit the number of individuals doesn't seem feasible at this stage.	
2.4.4 Year or period		2012	
2.4.5 Method – population size		Estimate based on expert opinion with no or minimal sampling (1)	
2.4.6 Short-term trend period		2001-2012	
2.4.7 Short term trend direction		unknown (x)	
2.4.8 Short-term trend magnitude	min	max	confidence interval
2.4.9 Short-term trend method		Estimate based on expert opinion with no or minimal sampling (1)	
2.4.10 Long-term trend period			
2.4.11 Long term trend direction		N/A	
2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method		N/A	
2.4.14 Favourable reference population	number		
	operator	approximately equal to (≈)	
	unknown	No	
	method	There are no indications or reports of population decline or abnormal population structure. FRV has been set at the current population level based on the known viable island populations.	
2.4.15 Reason for change		Use of different method	
2.5 Habitat for the Species			
2.5.1 Surface area - Habitat (km ²)		1355	
2.5.2 Year or period		2012	
2.5.3 Method used - habitat		Estimate based on expert opinion with no or minimal sampling (1)	
2.5.4 a) Quality of habitat		Good	
2.5.4 b) Quality of habitat - method		A widely distributed generalist species. Random surveys have been conducted in the distribution areas.	
2.5.5 Short term trend period		2001-2012	
2.5.6 Short term trend direction		stable (0)	
2.5.7 Long-term trend period			
2.5.8 Long term trend direction		N/A	
2.5.9 Area of suitable habitat (km ²)		1483	
2.5.10 Reason for change			
2.6 Main Pressures			
Pressure		ranking	pollution qualifier(s)
Cultivation (A01)		low importance (L)	N/A
intensive grazing (A04.01)		low importance (L)	N/A
use of biocides, hormones and chemicals (A07)		low importance (L)	N/A
2.6.1 Method used – pressures		mainly based on expert judgement and other data (2)	

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Cultivation (A01)	low importance (L)	N/A
intensive grazing (A04.01)	low importance (L)	N/A
use of biocides, hormones and chemicals (A07)	low importance (L)	N/A

2.7.1 Method used – threats expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information The range estimations do not include unfavorable altitude areas.

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Favourable (FV)
qualifiers N/A

2.9.2. Population assessment Unknown (XX)
qualifiers N/A

2.9.3. Habitat assessment Favourable (FV)
qualifiers N/A

2.9.4. Future prospects assessment Favourable (FV)
qualifiers N/A

2.9.5 Overall assessment of Conservation Status Favourable (FV)

2.9.5 Overall trend in Conservation Status N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size Unit N/A
min max

3.1.2 Method used N/A

3.1.3 Trend of population size within N/A

3.2 Conversation Measures