

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

NATIONAL LEVEL

1. General information

1.1 Member State	GR
1.2 Species code	5334
1.3 Species scientific name	Telestes pleurobipunctatus
1.4 Alternative species scientific name	
1.5 Common name (in national language)	Liara

2. Maps

2.1 Sensitive species	No
2.2 Year or period	2015
2.3 Distribution map	Yes
2.4 Distribution map Method used	Based mainly on extrapolation from a limited amount of data
2.5 Additional maps	Yes

3. Information related to Annex V Species (Art. 14)

3.1 Is the species taken in the wild/exploited?	No
3.2 Which of the measures in Art. 14 have been taken?	a) regulations regarding access to property No
	b) temporary or local prohibition of the taking of specimens in the wild and exploitation No
	c) regulation of the periods and/or methods of taking specimens No
	d) application of hunting and fishing rules which take account of the conservation of such populations No
	e) establishment of a system of licences for taking specimens or of quotas No
	f) regulation of the purchase, sale, offering for sale, keeping for sale or transport for sale of specimens No
	g) breeding in captivity of animal species as well as artificial propagation of plant species No
	h) other measures No

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

3.3 Hunting bag or quantity taken in the wild for Mammals and Acipenseridae (Fish)

a) Unit

b) Statistics/ quantity taken	Provide statistics/quantity per hunting season or per year (where season is not used) over the reporting period					
	Season/ year 1	Season/ year 2	Season/ year 3	Season/ year 4	Season/ year 5	Season/ year 6
Min. (raw, ie. not rounded)						
Max. (raw, ie. not rounded)						
Unknown	No	No	No	No	No	No

3.4. Hunting bag or quantity taken in the wild Method used

3.5. Additional information

BIOGEOGRAPHICAL LEVEL

4. Biogeographical and marine regions

4.1 Biogeographical or marine region where the species occurs

Mediterranean (MED)

4.2 Sources of information

Kottelat, M. and J. Freyhof, 2007. Handbook of European freshwater fishes. Publications Kottelat, Cornol, Switzerland. 646 p.

Daoulas, C., T. Koussouris and T. Psarras, 1987. Ecology and possibilities of fisheries management of the artificial lake of Kremasta. Spec. Publ. Natl. Cent. Mar. Res. (Greece) 12. 120 p. (in Hellenic).

5. Range

5.1 Surface area

13700

5.2 Short-term trend Period

2007-2018

5.3 Short-term trend Direction

Stable (0)

5.4 Short-term trend Magnitude

a) Minimum

b) Maximum

5.5 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

5.6 Long-term trend Period

5.7 Long-term trend Direction

5.8 Long-term trend Magnitude

a) Minimum

b) Maximum

5.9 Long-term trend Method used

5.10 Favourable reference range

a) Area (km²)

b) Operator

Approximately equal to (≈)

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

c) Unknown

d) Method

Basic assumption: Favourable Reference Range = Surface Area Range (current range)

5.11 Change and reason for change in surface area of range

No change

The change is mainly due to:

5.12 Additional information

6. Population

6.1 Year or period

2015

6.2 Population size (in reporting unit)

a) Unit

number of map 10x10 km grid cells (grids10x10)

b) Minimum

c) Maximum

d) Best single value 137

6.3 Type of estimate

Best estimate

6.4 Additional population size (using population unit other than reporting unit)

a) Unit

b) Minimum

c) Maximum

d) Best single value

6.5 Type of estimate

6.6 Population size Method used

Based mainly on extrapolation from a limited amount of data

6.7 Short-term trend Period

2007-2018

6.8 Short-term trend Direction

Stable (0)

6.9 Short-term trend Magnitude

a) Minimum

b) Maximum

c) Confidence interval

6.10 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

6.11 Long-term trend Period

6.12 Long-term trend Direction

6.13 Long-term trend Magnitude

a) Minimum

b) Maximum

c) Confidence interval

6.14 Long-term trend Method used

6.15 Favourable reference population (using the unit in 6.2 or 6.4)

a) Population size

b) Operator

Approximately equal to (≈)

c) Unknown

d) Method

Basic assumption: Favourable Reference Population = value extracted from Range Map

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

6.16 Change and reason for change in population size

No change
The change is mainly due to:

6.17 Additional information

Most data are described as semi-quantitative or qualitative. Few quantitative data. Too much variability between existing samples, especially between different river basins, making it difficult to extrapolate a number or a class for reporting population unit.

7. Habitat for the species

7.1 Sufficiency of area and quality of occupied habitat

a) Are area and quality of occupied habitat sufficient (for long-term survival)? Unknown
b) Is there a sufficiently large area of unoccupied habitat of suitable quality (for long-term survival)?

7.2 Sufficiency of area and quality of occupied habitat Method used

Insufficient or no data available

7.3 Short-term trend Period

2007-2018

7.4 Short-term trend Direction

Unknown (x)

7.5 Short-term trend Method used

Insufficient or no data available

7.6 Long-term trend Period

7.7 Long-term trend Direction

7.8 Long-term trend Method used

7.9 Additional information

The surface area of the habitat is estimated at 13700 km² and its quality is unknown.

8. Main pressures and threats

8.1 Characterisation of pressures/threats

Pressure	Ranking
Physical alteration of water bodies (K05)	M
Hydropower (dams, weirs, run-off-the-river), including infrastructure (D02)	M
Active abstractions from groundwater, surface water or mixed water for agriculture (A30)	M
Modification of hydrological flow (K04)	M
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	H
Drainage for use as agricultural land (A31)	M
Irrigation of agricultural land (A18)	M
Threat	Ranking
Hydropower (dams, weirs, run-off-the-river), including infrastructure (D02)	H

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

Active abstractions from groundwater, surface water or mixed H water for agriculture (A30)

Modification of hydrological flow (K04)	H
Physical alteration of water bodies (K05)	M
Reduced fecundity / genetic depression (e.g. inbreeding or endogamy) (L05)	M
Conversion from other land uses to housing, settlement or recreational areas (excluding drainage and modification of coastline, estuary and coastal conditions) (F01)	M
Construction or modification (e.g. of housing and settlements) in existing urban or recreational areas (F02)	M
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	H
Drainage for use as agricultural land (A31)	M
Irrigation of agricultural land (A18)	M

8.2 Sources of information

PRESSURES: Based mainly on expert judgement and other data.
THREATS: Based on expert opinion.

8.3 Additional information

9. Conservation measures

9.1 Status of measures

- a) Are measures needed? No
- b) Indicate the status of measures

9.2 Main purpose of the measures taken

9.3 Location of the measures taken

9.4 Response to the measures

9.5 List of main conservation measures

()

9.6 Additional information

10. Future prospects

10.1 Future prospects of parameters

- a) Range Good
- b) Population Good
- c) Habitat of the species Unknown

10.2 Additional information

11. Conclusions

11.1. Range

Favourable (FV)

11.2. Population

Favourable (FV)

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

11.3. Habitat for the species	Unknown (XX)
11.4. Future prospects	Favourable (FV)
11.5 Overall assessment of Conservation Status	Favourable (FV)
11.6 Overall trend in Conservation Status	Unknown (x)
11.7 Change and reasons for change in conservation status and conservation status trend	<p>a) Overall assessment of conservation status</p> <p>No change</p> <p>The change is mainly due to:</p> <p>b) Overall trend in conservation status</p> <p>No change</p> <p>The change is mainly due to:</p>
11.8 Additional information	

12. Natura 2000 (pSCIs, SCIs and SACs) coverage for Annex II species

12.1 Population size inside the pSCIs, SCIs and SACs network (on the biogeographical/marine level including all sites where the species is present)	<p>a) Unit number of map 10x10 km grid cells (grids10x10)</p> <p>b) Minimum</p> <p>c) Maximum</p> <p>d) Best single value 69</p>
12.2 Type of estimate	Best estimate
12.3 Population size inside the network Method used	Based mainly on extrapolation from a limited amount of data
12.4 Short-term trend of population size within the network Direction	Unknown (x)
12.5 Short-term trend of population size within the network Method used	Insufficient or no data available
12.6 Additional information	<p>Species for which either new Natura sites have been designated or former ones have been expanded to cover a bigger part of their populations.</p> <p>The change in 12.1 (in comparison to the previous report) is mainly due to the recent update of the Greek Natura 2000 Database (extended areas of current Natura 2000 sites and newly proposed SCIs) and also (in cases of absent data or mandatory population unit 1x1 grid) to a different approach/method used for the calculation of the population size in GIS.</p>

13. Complementary information

13.1 Justification of % thresholds for trends	The % threshold could not be used for the assessment since: a) a different method for assessing range was employed, compared to the 2nd Reporting Period or b) no data were reported in the 2nd Reporting Period.
13.2 Trans-boundary assessment	

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

13.3 Other relevant Information

Basic Assumptions:

- i) "Surface Area Range" (field 5.1) = value extracted from "Range Map" (field 2.5).
- ii) "Favourable Reference Range" (field 5.10a) = a) "Surface Area Range" (field 5.1) OR b) value extracted from "Additional Reference Range Map" (provided). Depends on whether the Favourable range is equal or larger than actual species range.
- iii) "Population Size" (field 6.2 or 6.4) = value extracted from "Distribution Map" (field 2.3) or "Additional Distribution Map" (field 2.5) (when provided).
- iv) "Favourable Reference Population" (field 6.15a) = a) "Population Size" (field 6.2 or 6.4) OR b) value extracted from "Additional Reference Range Map" (provided). Depends on whether the Favourable population is equal or larger than actual species population.
- v) Habitat "Area Estimation" (field 7.9) = "Distribution Map" (field 2.3) or "Additional Distribution Map" (field 2.5) (when provided).