

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

NATIONAL LEVEL

1. General information

1.1 Member State	GR
1.2 Species code	5335
1.3 Species scientific name	Telestes beoticus
1.4 Alternative species scientific name	
1.5 Common name (in national language)	Paskovisa

2. Maps

2.1 Sensitive species	No
2.2 Year or period	2015
2.3 Distribution map	Yes
2.4 Distribution map Method used	Based mainly on extrapolation from a limited amount of data
2.5 Additional maps	Yes

3. Information related to Annex V Species (Art. 14)

3.1 Is the species taken in the wild/exploited?	No
3.2 Which of the measures in Art. 14 have been taken?	a) regulations regarding access to property No
	b) temporary or local prohibition of the taking of specimens in the wild and exploitation No
	c) regulation of the periods and/or methods of taking specimens No
	d) application of hunting and fishing rules which take account of the conservation of such populations No
	e) establishment of a system of licences for taking specimens or of quotas No
	f) regulation of the purchase, sale, offering for sale, keeping for sale or transport for sale of specimens No
	g) breeding in captivity of animal species as well as artificial propagation of plant species No
	h) other measures No

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

3.3 Hunting bag or quantity taken in the wild for Mammals and Acipenseridae (Fish)

a) Unit

b) Statistics/ quantity taken	Provide statistics/quantity per hunting season or per year (where season is not used) over the reporting period					
	Season/ year 1	Season/ year 2	Season/ year 3	Season/ year 4	Season/ year 5	Season/ year 6
Min. (raw, ie. not rounded)						
Max. (raw, ie. not rounded)						
Unknown	No	No	No	No	No	No

3.4. Hunting bag or quantity taken in the wild Method used

3.5. Additional information

BIOGEOGRAPHICAL LEVEL

4. Biogeographical and marine regions

4.1 Biogeographical or marine region where the species occurs

Mediterranean (MED)

4.2 Sources of information

Kottelat M. & Freyhof J. (2007). Handbook of European freshwater fishes. Publications Kottelat, Cornol, Switzerland.

Economou A.N., Giakoumi S., Vardakas L., Barbieri R., Stoumboudi M. & Zogaris S. (2007). The freshwater ichthyofauna of Greece - an update based on a hydrographic basin survey. Mediterranean Marine Science, Vol. 8(1): 91-166.

Economidis, P.S. & Chrysopolitou V. (2009). *Telestes beoticus*. In Red Data Book of threatened Animals of Greece. Legakis A. & Maragou P. (eds). Hellenic Zoological Society, Athens.

5. Range

5.1 Surface area

1175

5.2 Short-term trend Period

2007-2018

5.3 Short-term trend Direction

Stable (0)

5.4 Short-term trend Magnitude

a) Minimum

b) Maximum

5.5 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

5.6 Long-term trend Period

5.7 Long-term trend Direction

5.8 Long-term trend Magnitude

a) Minimum

b) Maximum

5.9 Long-term trend Method used

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

5.10 Favourable reference range

a) Area (km²)
 b) Operator Approximately equal to (≈)
 c) Unknown
 d) Method Basic assumption: Favourable Reference Range = Surface Area Range (current range)

5.11 Change and reason for change in surface area of range

No change
 The change is mainly due to:

5.12 Additional information

6. Population

6.1 Year or period 2015

6.2 Population size (in reporting unit)

a) Unit number of map 5x5 km grid cells (grids5x5)
 b) Minimum
 c) Maximum
 d) Best single value 47

6.3 Type of estimate Best estimate

6.4 Additional population size (using population unit other than reporting unit)

a) Unit
 b) Minimum
 c) Maximum
 d) Best single value

6.5 Type of estimate

6.6 Population size Method used Based mainly on extrapolation from a limited amount of data

6.7 Short-term trend Period 2007-2018

6.8 Short-term trend Direction Decreasing (-)

6.9 Short-term trend Magnitude

a) Minimum
 b) Maximum
 c) Confidence interval

6.10 Short-term trend Method used Based mainly on extrapolation from a limited amount of data

6.11 Long-term trend Period

6.12 Long-term trend Direction

6.13 Long-term trend Magnitude

a) Minimum
 b) Maximum
 c) Confidence interval

6.14 Long-term trend Method used

6.15 Favourable reference population (using the unit in 6.2 or 6.4)

a) Population size
 b) Operator Approximately equal to (≈)
 c) Unknown
 d) Method Basic assumption: Favourable Reference Population = value extracted from Additional Range Map

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

6.16 Change and reason for change in population size

No change
The change is mainly due to:

6.17 Additional information

Most data are described as semi-quantitative or qualitative. Few quantitative data. Too much variability between existing samples, especially between different river basins, making it difficult to extrapolate a number or a class for reporting population unit.

7. Habitat for the species

7.1 Sufficiency of area and quality of occupied habitat

- a) Are area and quality of occupied habitat sufficient (for long-term survival)? No
- b) Is there a sufficiently large area of unoccupied habitat of suitable quality (for long-term survival)? Unknown

7.2 Sufficiency of area and quality of occupied habitat Method used

Based mainly on extrapolation from a limited amount of data

7.3 Short-term trend Period

2007-2018

7.4 Short-term trend Direction

Unknown (x)

7.5 Short-term trend Method used

Insufficient or no data available

7.6 Long-term trend Period

7.7 Long-term trend Direction

7.8 Long-term trend Method used

7.9 Additional information

The surface area of the habitat is estimated at 1175 km² and its quality is bad.

8. Main pressures and threats

8.1 Characterisation of pressures/threats

Pressure	Ranking
Deposition and treatment of waste/garbage from household/recreational facilities (F09)	M
Mixed source pollution to surface and ground waters (limnic and terrestrial) (J01)	M
Physical alteration of water bodies (K05)	H
Hydropower (dams, weirs, run-off-the-river), including infrastructure (D02)	M
Active abstractions from groundwater, surface water or mixed water for agriculture (A30)	H
Modification of hydrological flow (K04)	H
Deposition and treatment of waste/garbage from commercial and industrial facilities (F10)	M
Agricultural activities generating diffuse pollution to surface or ground waters (A26)	M
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	H

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

Other invasive alien species (other than species of Union concern) (I02) M

Threat Ranking

Deposition and treatment of waste/garbage from household/recreational facilities (F09) M

Deposition and treatment of waste/garbage from commercial and industrial facilities (F10) M

Mixed source pollution to surface and ground waters (limnic and terrestrial) (J01) M

Physical alteration of water bodies (K05) M

Hydropower (dams, weirs, run-off-the-river), including infrastructure (D02) H

Active abstractions from groundwater, surface water or mixed water for agriculture (A30) H

Modification of hydrological flow (K04) H

Agricultural activities generating diffuse pollution to surface or ground waters (A26) M

Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01) H

Other invasive alien species (other than species of Union concern) (I02) M

8.2 Sources of information

PRESSURES: Mainly based on expert judgement and other data.
THREATS: Based on expert opinion.

8.3 Additional information

IAS: *Carassius gibelio*, *Carassius auratus*

9. Conservation measures

9.1 Status of measures

- a) Are measures needed? Yes
- b) Indicate the status of measures Measures identified, but none yet taken

9.2 Main purpose of the measures taken

9.3 Location of the measures taken

9.4 Response to the measures

9.5 List of main conservation measures

Reduce impact of mixed source pollution (CJ01)

Management, control or eradication of other invasive alien species (CI03)

Restore habitats impacted by multi-purpose hydrological changes (CJ03)

Reduce impact of multi-purpose hydrological changes (CJ02)

Reduce impact of hydropower operation and infrastructure (CC04)

Manage drainage and irrigation operations and infrastructures in agriculture (CA15)

Reduce diffuse pollution to surface or ground waters from agricultural activities (CA11)

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

Habitat restoration of areas impacted by transport (CE06)

9.6 Additional information

10. Future prospects

10.1 Future prospects of parameters	a) Range	Good
	b) Population	Poor
	c) Habitat of the species	Bad

10.2 Additional information

11. Conclusions

11.1. Range	Favourable (FV)
11.2. Population	Unfavourable - Inadequate (U1)
11.3. Habitat for the species	Unfavourable - Bad (U2)
11.4. Future prospects	Unfavourable - Bad (U2)
11.5 Overall assessment of Conservation Status	Unfavourable - Bad (U2)
11.6 Overall trend in Conservation Status	Unknown (x)
11.7 Change and reasons for change in conservation status and conservation status trend	a) Overall assessment of conservation status No change The change is mainly due to: b) Overall trend in conservation status No change The change is mainly due to:

11.8 Additional information

12. Natura 2000 (pSCIs, SCIs and SACs) coverage for Annex II species

12.1 Population size inside the pSCIs, SCIs and SACs network (on the biogeographical/marine level including all sites where the species is present)	a) Unit b) Minimum c) Maximum d) Best single value	number of map 5x5 km grid cells (grids5x5) 24
12.2 Type of estimate	Best estimate	
12.3 Population size inside the network Method used	Based mainly on extrapolation from a limited amount of data	
12.4 Short-term trend of population size within the network Direction	Stable (0)	
12.5 Short-term trend of population size within the network Method used	Based mainly on extrapolation from a limited amount of data	

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

12.6 Additional information

13. Complementary information

13.1 Justification of % thresholds for trends

The % threshold could not be used for the assessment since: a) a different method for assessing range was employed, compared to the 2nd Reporting Period or b) no data were reported in the 2nd Reporting Period.

13.2 Trans-boundary assessment

13.3 Other relevant Information

1. Endemic to the Kifissos (Viotia) including Yliki Lake and Assopos river basins. Previously considered extirpated in Assopos but rediscovered there in the Spring of 2014 (HCMR unpublished data); existing populations are very small in the upper parts of the river basin. The species' exact distribution before the industrialization of the Assopos river unknown; there for it is difficult to assess range changes in this basin. It inhabits moderate to fast running clear streamwaters; often near springs; sometimes also found in fast flowing canals. Severely threatened by water abstraction and pollution within its very restricted global distribution; its range within the Assopos is limited due to industrial pollution of the mid-section of the river. Populations in the Kifissos are also fairly localized as the species is absent from large sections of the upper reaches of the river basin.

2. Basic Assumptions:

i) "Surface Area Range" (field 5.1) = value extracted from "Range Map" (field 2.5).

ii) "Favourable Reference Range" (field 5.10a) = a) "Surface Area Range" (field 5.1) OR b) value extracted from "Additional Reference Range Map" (provided). Depends on whether the Favourable range is equal or larger than actual species range.

iii) "Population Size" (field 6.2 or 6.4) = value extracted from "Distribution Map" (field 2.3) or "Additional Distribution Map" (field 2.5) (when provided).

iv) "Favourable Reference Population" (field 6.15a) = a) "Population Size" (field 6.2 or 6.4) OR b) value extracted from "Additional Reference Range Map" (provided). Depends on whether the Favourable population is equal or larger than actual species population.

v) Habitat "Area Estimation" (field 7.9) = "Distribution Map" (field 2.3) or "Additional Distribution Map" (field 2.5) (when provided).