

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

NATIONAL LEVEL

1. General information

1.1 Member State	GR
1.2 Species code	5339
1.3 Species scientific name	Rhodeus amarus
1.4 Alternative species scientific name	
1.5 Common name (in national language)	Mourmouritsa

2. Maps

2.1 Sensitive species	No
2.2 Year or period	2015
2.3 Distribution map	Yes
2.4 Distribution map Method used	Based mainly on extrapolation from a limited amount of data
2.5 Additional maps	Yes

3. Information related to Annex V Species (Art. 14)

3.1 Is the species taken in the wild/exploited?	No	
3.2 Which of the measures in Art. 14 have been taken?	a) regulations regarding access to property	No
	b) temporary or local prohibition of the taking of specimens in the wild and exploitation	No
	c) regulation of the periods and/or methods of taking specimens	No
	d) application of hunting and fishing rules which take account of the conservation of such populations	No
	e) establishment of a system of licences for taking specimens or of quotas	No
	f) regulation of the purchase, sale, offering for sale, keeping for sale or transport for sale of specimens	No
	g) breeding in captivity of animal species as well as artificial propagation of plant species	No
	h) other measures	No

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

3.3 Hunting bag or quantity taken in the wild for Mammals and Acipenseridae (Fish)

a) Unit

b) Statistics/ quantity taken	Provide statistics/quantity per hunting season or per year (where season is not used) over the reporting period					
	Season/ year 1	Season/ year 2	Season/ year 3	Season/ year 4	Season/ year 5	Season/ year 6
Min. (raw, ie. not rounded)						
Max. (raw, ie. not rounded)						
Unknown	No	No	No	No	No	No

3.4. Hunting bag or quantity taken in the wild Method used

3.5. Additional information

BIOGEOGRAPHICAL LEVEL

4. Biogeographical and marine regions

4.1 Biogeographical or marine region where the species occurs

Mediterranean (MED)

4.2 Sources of information

Κουτράκης, E., Κοκκινάκης, A., Ελευθεριάδης, E. & Τσίκληρας, A. (2000). Μελέτη της βιολογίας του *Rhodeus amarus* (Bloch, 1782) (Cyprinidae) στο Ρήγιο παταμό (Μακεδονία). Προκαταρκτικά αποτελέσματα. Πρακτικά 9ου Πανελληνίου Συνεδρίου Ιχθυολόγων, Μεσολόγγι, 20-23 Ιανουαρίου, σελ. 129-132.

Economidis, P.S. and D.C. Bobori, 2003. *Barbus thessalus* Stephanidis, 1971. p.421-426. In P.M. Banarescu and N.G. Bogutskaya (eds.) *Cyprinidae 2. Part II: Barbus*. Vol. 5/II. Aula-Verlag, Wiebelsheim.

Gretes, W.C. (2001). Longitudinal distributions of fishes in river drainages of Greece, with comments on assessing fish biodiversity in the southern Balkan Peninsula. *BIOS (Macedonia, Greece)*, 6: 91-108.

Οικονομίδης, Π.Σ. (1974). Μορφολογική, συστηματική και ζωογεωγραφική μελέτη των ιχθύων των γλυκέων υδάτων της Α. Μακεδονίας και Δ. Θράκης. Διδακτορική Διατριβή, ΑΠΘ, σελ.179.

5. Range

5.1 Surface area

10900

5.2 Short-term trend Period

2007-2018

5.3 Short-term trend Direction

Stable (0)

5.4 Short-term trend Magnitude

a) Minimum

b) Maximum

5.5 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

5.6 Long-term trend Period

5.7 Long-term trend Direction

5.8 Long-term trend Magnitude

a) Minimum

b) Maximum

5.9 Long-term trend Method used

5.10 Favourable reference range

a) Area (km²)

b) Operator

c) Unknown

d) Method

Approximately equal to (≈)

Basic assumption: Favourable Reference Range = Surface Area Range (current range)

5.11 Change and reason for change in surface area of range

No change

The change is mainly due to:

5.12 Additional information

6. Population

6.1 Year or period

2015

6.2 Population size (in reporting unit)

a) Unit

number of map 1x1 km grid cells (grids1x1)

b) Minimum

c) Maximum

d) Best single value 10646

6.3 Type of estimate

Best estimate

6.4 Additional population size (using population unit other than reporting unit)

a) Unit

number of map 10x10 km grid cells (grids10x10)

b) Minimum

c) Maximum

d) Best single value 109

6.5 Type of estimate

Best estimate

6.6 Population size Method used

Based mainly on extrapolation from a limited amount of data

6.7 Short-term trend Period

2007-2018

6.8 Short-term trend Direction

Stable (0)

6.9 Short-term trend Magnitude

a) Minimum

b) Maximum

c) Confidence interval

6.10 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

6.11 Long-term trend Period

6.12 Long-term trend Direction

6.13 Long-term trend Magnitude

a) Minimum

b) Maximum

c) Confidence interval

6.14 Long-term trend Method used

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

6.15 Favourable reference population (using the unit in 6.2 or 6.4)

- a) Population size
- b) Operator Approximately equal to (\approx)
- c) Unknown
- d) Method Basic assumption: Favourable Reference Population = value extracted from Range Map

6.16 Change and reason for change in population size

No change
The change is mainly due to:

6.17 Additional information

Most data are described as semi-quantitative or qualitative. Few quantitative data. Too much variability between existing samples, especially between different river basins, making it difficult to extrapolate a number or a class for reporting population unit. Since 1x1 km grid population unit was mandatory and no such information was provided by experts, the population size in 6.2.d has been calculated in GIS using spatial information from the distribution data (10x10 km or smaller grids if additional data were available). Following the conversion of the available data in 1x1 km grid unit, marine or terrestrial grid cells have been deleted and thus excluded from the calculation, depending on the biogeographical region where the species occurs (MED or MMED, respectively).

7. Habitat for the species

7.1 Sufficiency of area and quality of occupied habitat

- a) Are area and quality of occupied habitat sufficient (for long-term survival)? Yes
- b) Is there a sufficiently large area of unoccupied habitat of suitable quality (for long-term survival)?

7.2 Sufficiency of area and quality of occupied habitat Method used

Based mainly on extrapolation from a limited amount of data

7.3 Short-term trend Period

2007-2018

7.4 Short-term trend Direction

Stable (0)

7.5 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

7.6 Long-term trend Period

7.7 Long-term trend Direction

7.8 Long-term trend Method used

7.9 Additional information

The surface area of the habitat is estimated at 10900 km² and its quality is good.

8. Main pressures and threats

8.1 Characterisation of pressures/threats

Pressure	Ranking
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	H
Drainage for use as agricultural land (A31)	H
Irrigation of agricultural land (A18)	M

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

Hydropower (dams, weirs, run-off-the-river), including infrastructure (D02)	M
---	---

Threat	Ranking
--------	---------

Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	H
--	---

Drainage for use as agricultural land (A31)	H
---	---

Irrigation of agricultural land (A18)	M
---------------------------------------	---

Hydropower (dams, weirs, run-off-the-river), including infrastructure (D02)	M
---	---

8.2 Sources of information PRESSURES: Mainly based on expert judgement and other data.
THREATS: Based on expert opinion.

8.3 Additional information

9. Conservation measures

9.1 Status of measures

a) Are measures needed?	No
b) Indicate the status of measures	

9.2 Main purpose of the measures taken

9.3 Location of the measures taken

9.4 Response to the measures

9.5 List of main conservation measures

()

9.6 Additional information

10. Future prospects

10.1 Future prospects of parameters

a) Range	Good
b) Population	Good
c) Habitat of the species	Good

10.2 Additional information

11. Conclusions

11.1. Range Favourable (FV)

11.2. Population Favourable (FV)

11.3. Habitat for the species Favourable (FV)

11.4. Future prospects Favourable (FV)

11.5 Overall assessment of Conservation Status Favourable (FV)

11.6 Overall trend in Conservation Status Stable (=)

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

11.7 Change and reasons for change in conservation status and conservation status trend

a) Overall assessment of conservation status

No change

The change is mainly due to:

b) Overall trend in conservation status

No change

The change is mainly due to:

11.8 Additional information

12. Natura 2000 (pSCIs, SCIs and SACs) coverage for Annex II species

12.1 Population size inside the pSCIs, SCIs and SACs network (on the biogeographical/marine level including all sites where the species is present)

- a) Unit number of map 1x1 km grid cells (grids1x1)
- b) Minimum
- c) Maximum
- d) Best single value 2348

12.2 Type of estimate

Best estimate

12.3 Population size inside the network Method used

Based mainly on extrapolation from a limited amount of data

12.4 Short-term trend of population size within the network Direction

Unknown (x)

12.5 Short-term trend of population size within the network Method used

Insufficient or no data available

12.6 Additional information

The change in 12.1 (in comparison to the previous report) is mainly due to the recent update of the Greek Natura 2000 Database (extended areas of current Natura 2000 sites and newly proposed SCIs) and also (in cases of absent data or mandatory population unit 1x1 grid) to a different approach/method used for the calculation of the population size in GIS.

13. Complementary information

13.1 Justification of % thresholds for trends

The % threshold could not be used for the assessment since: a) a different method for assessing range was employed, compared to the 2nd Reporting Period or b) no data were reported in the 2nd Reporting Period.

13.2 Trans-boundary assessment

13.3 Other relevant Information

1. The species is abundant throughout its geographical distribution and the presence of specimen of all length classes indicates the normal reproduction of the species. However, locally the species faces environmental pressures like loss of habitats and reduction both in quality and quantity of water.
2. Basic Assumptions:
 - i) "Surface Area Range" (field 5.1) = value extracted from "Range Map" (field 2.5).
 - ii) "Favourable Reference Range" (field 5.10a) = a) "Surface Area Range" (field 5.1) OR b) value extracted from "Additional Reference Range Map" (provided). Depends on whether the Favourable range is equal

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

or larger than actual species range.

iii) "Population Size" (field 6.2 or 6.4) = value extracted from "Distribution Map" (field 2.3) or "Additional Distribution Map" (field 2.5) (when provided).

iv) "Favourable Reference Population" (field 6.15a) = a) "Population Size" (field 6.2 or 6.4) OR b) value extracted from "Additional Reference Range Map" (provided). Depends on whether the Favourable population is equal or larger than actual species population.

v) Habitat "Area Estimation" (field 7.9) = "Distribution Map" (field 2.3) or "Additional Distribution Map" (field 2.5) (when provided).