

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

NATIONAL LEVEL

1. General information

1.1 Member State	GR
1.2 Species code	6138
1.3 Species scientific name	<i>Dolichophis caspius</i>
1.4 Alternative species scientific name	<i>Coluber caspius</i>
1.5 Common name (in national language)	Astrapofido

2. Maps

2.1 Sensitive species	No
2.2 Year or period	2015
2.3 Distribution map	Yes
2.4 Distribution map Method used	Based mainly on extrapolation from a limited amount of data
2.5 Additional maps	Yes

3. Information related to Annex V Species (Art. 14)

3.1 Is the species taken in the wild/exploited?	No	
3.2 Which of the measures in Art. 14 have been taken?	a) regulations regarding access to property	No
	b) temporary or local prohibition of the taking of specimens in the wild and exploitation	No
	c) regulation of the periods and/or methods of taking specimens	No
	d) application of hunting and fishing rules which take account of the conservation of such populations	No
	e) establishment of a system of licences for taking specimens or of quotas	No
	f) regulation of the purchase, sale, offering for sale, keeping for sale or transport for sale of specimens	No
	g) breeding in captivity of animal species as well as artificial propagation of plant species	No
	h) other measures	No

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

3.3 Hunting bag or quantity taken in the wild for Mammals and Acipenseridae (Fish)

a) Unit

b) Statistics/ quantity taken	Provide statistics/quantity per hunting season or per year (where season is not used) over the reporting period					
	Season/ year 1	Season/ year 2	Season/ year 3	Season/ year 4	Season/ year 5	Season/ year 6
Min. (raw, ie. not rounded)						
Max. (raw, ie. not rounded)						
Unknown	No	No	No	No	No	No

3.4. Hunting bag or quantity taken in the wild Method used

3.5. Additional information

BIOGEOGRAPHICAL LEVEL

4. Biogeographical and marine regions

4.1 Biogeographical or marine region where the species occurs

Mediterranean (MED)

4.2 Sources of information

- Bousbouras, D. & Ioannidis, Y., 1994. Amphibien und reptilien des Prespa-Nationalparks und der Gebirgregion um Florina (Mazedonien, Griechenland). *Salamandra*, 30(3): 209-220.
- Bringsoe, H., 1985. A check-list of Peloponnesian amphibians and reptiles, including new records from Greece. *Annales Musei Goulandris*, 7:271-318
- Broggi, M.F., 2009. The herpetofauna of Ithaki (Ithaca, Ionian Islands, Greece) *Herpetozoa*, 22(1/2): 87-
- Broggi, M.F., 2010. Die Herpetofauna von Alonissos (Nördliche Sporaden, Griechenland) *Herpetozoa*, 23(1/2): 71-78.
- Buchholz, K., 1955. Herpetologische Ergebnisse zweier Cycladenreisen. *Bonner Zoologische Beiträge*, 6(1/2): 95-110.
- Buttle, D., 1997. Observations on reptiles and amphibians of Andros (Cyclades, Greece). *British Herpetological Society Bulletin*, 60: 5-12.
- Cattaneo, A., 2003. Note erpetologiche sulle isole Egee di Lesvos, Chios e Samos. *Boll Bolletino del Museo civico di Storia naturale di Venezia*, 54: 95-116.
- Cattaneo, A., 2005. Osservazioni sull'erpetofauna dell'isola greca di Kos (Sporadi Meridionali) con un inedito caso di simpatria microinsulare fra due specie affini di colubridi: *Hierophis caspius* (Gmelin) e *Hierophis jugularis* (L.). *Atti del Museo di Storia Naturale della Maremma*, 21: 79-91.
- Cattaneo A., 2006. Contributo alla conoscenza dell'erpetofauna dell'isola egea di Nisyros (Dodecaneso) (Reptilia). *Naturalista Siciliano*, Palermo, 30: 485-494.
- Cattaneo, A., 2008. Osservazioni sull'ofidiofauna delle isole Egee di Leros e Patmos (Dodecaneso) (reptilia serpentes). *Naturalista Siciliano*, S. IV, XXXII (1-2): 201-219.
- Cattaneo, A., 2010. Note eco-morfologiche su alcune specie ofidiche Egee, con

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

- particolare riferimento alle popolazioni delle Cicladi Centro-Orientali (Reptilia). *Naturalista Siciliano*, S. IV, XXXIV (3-4): 319-350.
- Cattaneo, A., 2010. Osservazioni sui rettili delle isole Egee di Karpathos e Kasos (Dodecaneso Meridionale) (Reptilia). *Naturalista Siciliano*, S. IV, XXXIV (1-2): 29-47.
- Clark, R.J., 1967. Herpetofauna of the islands of the Argo-Saronic Gulf, Greece. *Proceedings of the California Academy of Sciences*, 35(2): 23-36.
- Clark, R.J., 1968. A collection of snakes from Greece. *British Journal of Herpetology*, 4: 45-48.
- Clark, R., 1989. A check list of the herpetofauna of the Argo-Saronic gulf district, Greece. *British Herpetological Society Bulletin*, 28: 8-24.
- Clark, R., 1989. Some notes on reptiles and amphibians from the N.W. Pindos. *Herpetile*, 14(3): 99-104.
- Clark, R., 1991. A report on herpetological investigations on the island of Samothraki, North Aegean Sea-Greece. *British Herpetological Society Bulletin*, 38: 3-7.
- Clark, R., 1996. Some notes on the reptile fauna of Fournoi, Ikaria, and Schoinoussa, Aegean Sea, Greece. *British Herpetological Society Bulletin*, 56: 35-39.
- Clark, R., 1999. Herpetofauna of Thassos, North Aegean Sea, Greece. *British Herpetological Society Bulletin*, 66: 14-18.
- Dimitropoulos, A., 1986. Some notes on the colour and pattern variation of the Greek snake fauna in relation to geographic distribution. *Biologia Gallo-Hellenica*, 12: 463-471.
- Foufopoulos, J., 1997. The reptile fauna of the Northern Dodecanese (Aegean Islands, Greece) *Herpetozoa* 10(1/2): 3-12.
- Ioannidis, Y. & Bousbouras, D., 1997. The space utilization by the reptiles in Prespa National Park. *Hydrobiologia*, 351: 135-142.
- Kasapidis, P., Provatidou, S., Maragou, P., Valakos, E.D., 1996. Neue daten uber die herpetofauna von Lesbos (Agaische inseln, Griechenland) und einige biogeographische bemerkungen uber die inseln des nordostlichen agaischen archipels. *Salamandra*, 32(3): 171-180.
- Kordges, T. & Hemmer, G., 1987. Studies on Reptiles in Greek Delta areas. *Biologia Gallo-Hellenica*, 13: 83-88.
- Ondrias, J.C., 1966. I panis ton amfibion kai erpeton tis Ellados. *Panepistimio Athina*, pp55.
- Ondrias, J.C., 1968. Liste des Amphibiens et des reptiles de la Grece. *Biologia Gallo-Hellenica*, Voll(2):111-135.
- Toth, T., Krecsak, L., Madsen, T., Ujvari, B., 2002. Herpetofaunal locality records on the Greek Island of Corfu. *Herpetozoa*, 15(3/4): 149-169.
- Werner, F., 1930. Contribution to the knowledge of the Reptiles and Amphibians of Greece, especially the Aegean islands. *Occasional papers of the Museum of Zoology*, 211: 1-47.
- Zinner, H., 1972. Systematics and Evolution of the Species Group *Coluber jugularis* Linnaeus, 1758 - *Coluber caspius* Gmelin, 1789 (Reptilia, Serpentes). Thesis submitted for the Degree "Doctor of Philosophy". Submitted to the Senate of the Hebrew University, Jerusalem.

5. Range

5.1 Surface area	61773,96
5.2 Short-term trend Period	2007-2018
5.3 Short-term trend Direction	Stable (0)

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

5.4 Short-term trend Magnitude	a) Minimum	b) Maximum
5.5 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data	
5.6 Long-term trend Period		
5.7 Long-term trend Direction		
5.8 Long-term trend Magnitude	a) Minimum	b) Maximum
5.9 Long-term trend Method used		
5.10 Favourable reference range	a) Area (km ²) b) Operator c) Unknown d) Method	Approximately equal to (≈) A wide ranging species. None of the known populations became extinct since 1994. FRV is the total of the range which excludes the unfavorable altitude areas.
5.11 Change and reason for change in surface area of range	Improved knowledge/more accurate data Use of different method The change is mainly due to: Improved knowledge/more accurate data	

5.12 Additional information

6. Population

6.1 Year or period	2015	
6.2 Population size (in reporting unit)	a) Unit	number of map 1x1 km grid cells (grids1x1)
	b) Minimum	8477
	c) Maximum	12443
	d) Best single value	
6.3 Type of estimate	Best estimate	
6.4 Additional population size (using population unit other than reporting unit)	a) Unit b) Minimum c) Maximum d) Best single value	
6.5 Type of estimate		
6.6 Population size Method used	Based mainly on extrapolation from a limited amount of data	
6.7 Short-term trend Period	2001-2012	
6.8 Short-term trend Direction	Stable (0)	
6.9 Short-term trend Magnitude	a) Minimum b) Maximum c) Confidence interval	
6.10 Short-term trend Method used	Based mainly on expert opinion with very limited data	
6.11 Long-term trend Period		
6.12 Long-term trend Direction		

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

6.13 Long-term trend Magnitude	<ul style="list-style-type: none"> a) Minimum b) Maximum c) Confidence interval
6.14 Long-term trend Method used	
6.15 Favourable reference population (using the unit in 6.2 or 6.4)	<ul style="list-style-type: none"> a) Population size b) Operator Approximately equal to (≈) c) Unknown d) Method There are no indications or reports of population decline or abnormal population structure. FRV has been set at the current population level.
6.16 Change and reason for change in population size	<p>Improved knowledge/more accurate data Use of different method</p> <p>The change is mainly due to: Improved knowledge/more accurate data</p>
6.17 Additional information	<p>There are no adequate references or measurements regarding the population size or the population densities. Based on the available data an estimation of the population using as unit the number of individuals doesn't seem feasible at this stage.</p>

7. Habitat for the species

7.1 Sufficiency of area and quality of occupied habitat	<ul style="list-style-type: none"> a) Are area and quality of occupied habitat sufficient (for long-term survival)? Yes b) Is there a sufficiently large area of unoccupied habitat of suitable quality (for long-term survival)?
7.2 Sufficiency of area and quality of occupied habitat Method used	Based mainly on extrapolation from a limited amount of data
7.3 Short-term trend Period	2007-2018
7.4 Short-term trend Direction	Stable (0)
7.5 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data
7.6 Long-term trend Period	
7.7 Long-term trend Direction	
7.8 Long-term trend Method used	
7.9 Additional information	<p>The surface area of the habitat is estimated at 12443 km² and its quality is good. The area of suitable habitat is 31024 km². A widely distributed generalist species. Random surveys have been conducted in the distribution areas.</p>

8. Main pressures and threats

8.1 Characterisation of pressures/threats

Pressure	Ranking
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	M
Threat	Ranking

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01) M

8.2 Sources of information

PRESSURES: Based mainly on expert judgement and other data.
THREATS: Based on expert opinion.

8.3 Additional information

9. Conservation measures

9.1 Status of measures

a) Are measures needed? No

b) Indicate the status of measures

9.2 Main purpose of the measures taken

9.3 Location of the measures taken

9.4 Response to the measures

9.5 List of main conservation measures

()

9.6 Additional information

10. Future prospects

10.1 Future prospects of parameters

a) Range Good
b) Population Good
c) Habitat of the species Good

10.2 Additional information

11. Conclusions

11.1. Range

Favourable (FV)

11.2. Population

Favourable (FV)

11.3. Habitat for the species

Favourable (FV)

11.4. Future prospects

Favourable (FV)

11.5 Overall assessment of Conservation Status

Favourable (FV)

11.6 Overall trend in Conservation Status

Stable (=)

11.7 Change and reasons for change in conservation status and conservation status trend

a) Overall assessment of conservation status

No change

The change is mainly due to:

b) Overall trend in conservation status

No change

The change is mainly due to:

Report on the main results of the surveillance under Article 11 for Annex II, IV and V species (Annex B)

11.8 Additional information

12. Natura 2000 (pSCIs, SCIs and SACs) coverage for Annex II species

12.1 Population size inside the pSCIs, SCIs and SACs network (on the biogeographical/marine level including all sites where the species is present)

- a) Unit
- b) Minimum
- c) Maximum
- d) Best single value

12.2 Type of estimate

12.3 Population size inside the network Method used

12.4 Short-term trend of population size within the network Direction

12.5 Short-term trend of population size within the network Method used

12.6 Additional information

13. Complementary information

13.1 Justification of % thresholds for trends

13.2 Trans-boundary assessment

13.3 Other relevant Information

The range estimations do not include unfavorable altitude areas.