

Annex B - Bird Species' status and trends report (Article 12)

1. Species information

1.1 Member State	Greece
1.2 Species code	A031-B
1.3 EURING code	1340
1.4 Species scientific name	Ciconia ciconia
1.5 Subspecific population	Central & Eastern Europe/Sub-Saharan Africa
1.6 Alternative species scientific name	Ciconia ciconia ciconia
1.7 Common name	Λευκός πελαργός
1.8 Season	Breeding (B)

2. Population size

2.1 Year or period	2013-2018
2.2 Population size	a) Unit number of pairs (p) b) Minimum c) Maximum d) Best single value 2000
2.3 Type of estimate	Best estimate
2.4 Population size Method used	Based mainly on extrapolation from a limited amount of data
2.5 Sources	1) BirdLife International (2017). European birds of conservation concern: populations, trends and national responsibilities. Cambridge. UK: BirdLife International. ISBN 978-1-912086-00-9 2) Μεγάλης, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παπαζογίου, C. & Βαρόν, Β. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
2.6 Change and reason for change (since previous report)	Improved knowledge/more accurate data Use of different method The change is mainly due to: Improved knowledge/more accurate data

Annex B - Bird Species' status and trends report (Article 12)

2.7 Additional information

3. Population trend

3.1 Short-term trend (last 12 years)

3.1.1 Short-term trend Period 2007-2018

3.1.2 Short-term trend Direction Decreasing (-)

3.1.3 Short-term trend Magnitude
a) Minimum
b) Maximum
c) Best single value -11

3.1.4 Short-term trend Method used Based mainly on extrapolation from a limited amount of data

3.1.5 Sources
1) BirdLife International (2017). European birds of conservation concern: populations, trends and national responsibilities. Cambridge. UK: BirdLife International. ISBN 978-1-912086-00-9
2) Μεγάκης, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ.
3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογιού, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.
4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.
5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
6) Natura Viewer (<http://natura2000.eea.europa.eu/#>).

3.2 Long-term trend (since c. 1980)

3.2.1 Long-term trend Period 1980-2018

3.2.2 Long-term trend Direction Decreasing (-)

3.2.3 Long-term trend Magnitude
a) Minimum
b) Maximum
c) Best single value -2

3.2.4 Long-term Trend Method used Based mainly on extrapolation from a limited amount of data

3.2.5 Sources
1) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12).

Annex B - Bird Species' status and trends report (Article 12)

- 2) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ.
- 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογιού, C. & Βαρόν, Β. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.
- 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.
- 5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
- 6) Natura Viewer (<http://natura2000.eea.europa.eu/#>).

3.3 Additional information

4. Breeding distribution map and size

4.1 Sensitive species	Yes
4.2 Year or period	2013-2018
4.3 Breeding distribution map	Yes
4.4 Breeding distribution surface area	94400
4.5 Breeding distribution Method used	Based mainly on extrapolation from a limited amount of data
4.6 Additional maps	Yes
4.7 Sources	1) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) Mullarney, K., Svensson, L., Zetterström, D. & Grant, P. J., (2007), Οδηγός Αναγνώρισης: Τα Πουλιά της Ελλάδας, της Κύπρου και της Ευρώπης, Albert Bonniers Forlag, Stockholm/ Ελληνική Ορνιθολογική Εταιρεία, Αθήνα, Παπακωνσταντίνου, Κ., ISBN: 9789608663183 3) Hagemeyer, E.J.M. & M.J. Blair (editors). 1997. The EBCC Atlas of European Breeding Birds: their distribution and abundance. T & A.D. Poyser, London. < http://s1.sovon.nl/ebcc/ea/ > 4) The IUCN Red List of Threatened Species. Version 2014.3. < www.iucnredlist.org > 5) ΥΠΕΚΑ (2012). Περιγραφική και γεωγραφική βάση δεδομένων του Δικτύου Natura 2000 (http://www.ypeka.gr/Default.aspx?tabid=432&language=el-GR) 6) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. Available at:

Annex B - Bird Species' status and trends report (Article 12)

<http://www.ypeka.gr/LinkClick.aspx?fileticket=TPsw%2b3PNVX8%3d&tabid=518&language=el-GR>

7) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μπροντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

4.8 Additional information

Reasons for changes: Improved knowledge and more accurate data.

5. Breeding range trend

5.1 Short-term trend (last 12 years)

5.1.1 Short-term trend Period

2007-2018

5.1.2 Short-term trend Direction

Unknown (X)

5.1.3 Short-term trend Magnitude

- a) Minimum
- b) Maximum
- c) Best single value

5.1.4 Short-term trend Method used

Insufficient or no data available

5.1.5 Sources

no data available

5.2 Long-term trend (since c. 1980)

5.2.1 Long-term trend Period

1980-2018

5.2.2 Long-term trend Direction

Unknown (X)

5.2.3 Long-term trend Magnitude

- a) Minimum
- b) Maximum
- c) Best single value

5.2.4 Long-term trend Method used

Insufficient or no data available

5.2.5 Sources

no data available

5.3 Additional information

6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.0 Is/Will the information related to international SAPs, MPs and BMSs (section 6) be provided for the other season for this species?

No

6.1 Type of international plan

No plan (NA)

6.2 Has a national plan linked to the international SAP/MP/BMS been adopted?

No

6.3 If 'NO', describe any measures and initiatives taken related to the international SAP/MP/BMS

Annex B - Bird Species' status and trends report (Article 12)

6.4 Assessment of the effectiveness of SAPs for globally threatened species (Art. 12, Species Action Plans)

()

6.5 Assessment of the effectiveness of MPs for huntable species in non-Secure status (Articles 3 and 7, Management Plans)

()

6.6 Sources of further Information

7. Main pressures and threats

a) Pressure	b) Ranking	c) location
Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06)	H	inside the Member State (inMS)
Conversion from other land uses to commercial / industrial areas (excluding drainage and modification of coastline, estuary and coastal conditions) (F03)	H	inside the Member State (inMS)
Deposition and treatment of waste/garbage from commercial and industrial facilities (F10)	H	inside the Member State (inMS)
Other invasive alien species (other than species of Union concern) (I02)	H	inside the Member State (inMS)
Other modification of hydrological conditions for industrial or commercial development (F32)	H	inside the Member State (inMS)
Other forestry activities, excluding those relating to agro-forestry (B29)	M	both inside and outside EU (inOutEU)
Use of plant protection chemicals in agriculture (A21)	M	both inside and outside EU (inOutEU)
Transmission of electricity and communications (cables) (D06)	M	both inside and outside EU (inOutEU)
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	M	both inside and outside EU (inOutEU)
Wind, wave and tidal power, including infrastructure (D01)	M	inside the Member State (inMS)
a) Threat	d) Ranking	e) location
Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06)	H	inside the Member State (inMS)
Conversion from other land uses to commercial / industrial areas (excluding drainage and modification of coastline, estuary and coastal conditions) (F03)	H	inside the Member State (inMS)
Deposition and treatment of waste/garbage from commercial and industrial facilities (F10)	H	inside the Member State (inMS)
Other invasive alien species (other than species of Union concern) (I02)	H	inside the Member State (inMS)

Annex B - Bird Species' status and trends report (Article 12)

Other modification of hydrological conditions for industrial or commercial development (F32)	H	inside the Member State (inMS)
Other forestry activities, excluding those relating to agro-forestry (B29)	M	both inside and outside EU (inOutEU)
Use of plant protection chemicals in agriculture (A21)	M	both inside and outside EU (inOutEU)
Transmission of electricity and communications (cables) (D06)	M	both inside and outside EU (inOutEU)
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	M	both inside and outside EU (inOutEU)
Wind, wave and tidal power, including infrastructure (D01)	M	inside the Member State (inMS)

7.2 Sources of information

1. IUCN. 2012. IUCN Red List of Threatened Species (ver. 2012.1). Available at: <http://www.iucnredlist.org>.
2. Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογλου, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. Available at: <http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEzaKE%3D&tabid=539&language=el-GR>.
3. Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούση Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη. Hellenic Common Birds Monitoring Scheme database (2007-2019), Hellenic Ornithological Society

7.3 Additional information

8. Main Conservation Measures

8.1 Status of measures

Measures needed but cannot be identified

8.2 Main purpose of the measures taken

8.3 Location of the measures

8.4 Response to the measures

8.6 Additional information

Annex B - Bird Species' status and trends report (Article 12)

9. Natura 2000 (SPAs) coverage

9.1 Population size inside the Natura 2000 (SPA) network

a) Unit	number of pairs (p)
b) Minimum	592
c) Maximum	686
d) Best single value	

9.2 Type of estimate

Best estimate

9.3 Population size inside the network Method used

Based mainly on extrapolation from a limited amount of data

9.4 Short-term trend of population size within the network Direction

Unknown (X)

9.5 Short-term trend of population size within the network Method used

Insufficient or no data available

9.6 Additional information