

Annex B - Bird Species' status and trends report (Article 12)

1. Species information

1.1 Member State	Greece
1.2 Species code	A032
1.3 EURING code	1360
1.4 Species scientific name	Plegadis falcinellus
1.5 Subspecific population	
1.6 Alternative species scientific name	Plegadis falcinellus falcinellus
1.7 Common name	Χαλκόκοτα
1.8 Season	Breeding (B)

2. Population size

2.1 Year or period	2015
2.2 Population size	a) Unit number of pairs (p) b) Minimum 220 c) Maximum 300 d) Best single value
2.3 Type of estimate	Best estimate
2.4 Population size Method used	Based mainly on extrapolation from a limited amount of data
2.5 Sources	1) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Natura Viewer (http://natura2000.eea.europa.eu/#). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογιου, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Αεγάκης, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. 5) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 6) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
2.6 Change and reason for change (since previous report)	Improved knowledge/more accurate data Use of different method The change is mainly due to: Improved knowledge/more accurate data

Annex B - Bird Species' status and trends report (Article 12)

2.7 Additional information

3. Population trend

3.1 Short-term trend (last 12 years)

3.1.1 Short-term trend Period 2007-2018

3.1.2 Short-term trend Direction Stable (0)

3.1.3 Short-term trend Magnitude
a) Minimum
b) Maximum
c) Best single value 0

3.1.4 Short-term trend Method used Based mainly on extrapolation from a limited amount of data

3.1.5 Sources

- 1) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12).
- 2) Natura Viewer (<http://natura2000.eea.europa.eu/#>).
- 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παραζογιου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.
- 4) Αεγάκης, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ.
- 5) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.
- 6) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

3.2 Long-term trend (since c. 1980)

3.2.1 Long-term trend Period 1980-2018

3.2.2 Long-term trend Direction Stable (0)

3.2.3 Long-term trend Magnitude
a) Minimum
b) Maximum
c) Best single value 0

3.2.4 Long-term Trend Method used Based mainly on extrapolation from a limited amount of data

3.2.5 Sources

- 1) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife

Annex B - Bird Species' status and trends report (Article 12)

Conservation Series No. 12).

2) Natura Viewer (<http://natura2000.eea.europa.eu/#>).

3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παραζογιου, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας.

Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.

4) Αεγάκης, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ.

5) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.

6) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

7) Handrinos, G., & Akriotis T., (1997) The birds of Greece. C. Helm, A & Black, London.

3.3 Additional information

4. Breeding distribution map and size

4.1 Sensitive species	Yes
4.2 Year or period	2013-2018
4.3 Breeding distribution map	Yes
4.4 Breeding distribution surface area	3500
4.5 Breeding distribution Method used	Based mainly on extrapolation from a limited amount of data
4.6 Additional maps	Yes
4.7 Sources	1) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) Mullarney, K., Svensson, L., Zetterström, D. & Grant, P. J., (2007), Οδηγός Αναγνώρισης: Τα Πουλιά της Ελλάδας, της Κύπρου και της Ευρώπης, Albert Bonniers Forlag, Stockholm/ Ελληνική Ορνιθολογική Εταιρεία, Αθήνα, Παπακωνσταντίνου, Κ., ISBN: 9789608663183 3) Hagemeyer, E.J.M. & M.J. Blair (editors). 1997. The EBCC Atlas of European Breeding Birds: their distribution and abundance. T & A.D. Poyser, London. < http://s1.sovon.nl/ebcc/eoa/ > 4) The IUCN Red List of Threatened Species. Version 2014.3. < www.iucnredlist.org > 5) ΥΠΕΚΑ (2012). Περιγραφική και γεωγραφική βάση δεδομένων του Δικτύου Natura 2000 (http://www.ypeka.gr/Default.aspx?tabid=432&language=el-GR)

Annex B - Bird Species' status and trends report (Article 12)

6) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. Available at:

<http://www.ypeka.gr/LinkClick.aspx?fileticket=TPsw%2b3PNVX8%3d&tabid=518&language=el-GR>

7) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Οрниθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

4.8 Additional information

5. Breeding range trend

5.1 Short-term trend (last 12 years)

5.1.1 Short-term trend Period	2007-2018
5.1.2 Short-term trend Direction	Unknown (X)
5.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.1.4 Short-term trend Method used	Insufficient or no data available
5.1.5 Sources	no data available

5.2 Long-term trend (since c. 1980)

5.2.1 Long-term trend Period	1980-2018
5.2.2 Long-term trend Direction	Unknown (X)
5.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.2.4 Long-term trend Method used	Insufficient or no data available
5.2.5 Sources	no data available

5.3 Additional information

6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.0 Is/Will the information related to international SAPs, MPs and BMSs (section 6) be provided for the other season for this species?	No
6.1 Type of international plan	No plan (NA)
6.2 Has a national plan linked to the international SAP/MP/BMS been adopted?	No

Annex B - Bird Species' status and trends report (Article 12)

6.3 If 'NO', describe any measures and initiatives taken related to the international SAP/MP/BMS

6.4 Assessment of the effectiveness of SAPs for globally threatened species (Art. 12, Species Action Plans)

()

6.5 Assessment of the effectiveness of MPs for huntable species in non-Secure status (Articles 3 and 7, Management Plans)

()

6.6 Sources of further Information

7. Main pressures and threats

a) Pressure

b) Ranking

c) location

No information on pressures (Xp)

()

a) Threat

d) Ranking

e) location

No information on threats (Xt)

()

7.2 Sources of information

7.3 Additional information

8. Main Conservation Measures

8.1 Status of measures

Measures needed but cannot be identified

8.2 Main purpose of the measures taken

8.3 Location of the measures

8.4 Response to the measures

8.6 Additional information

