

# Annex B - Bird Species' status and trends report (Article 12)

## 1. Species information

1.1 Member State	Greece
1.2 Species code	A078
1.3 EURING code	2510
1.4 Species scientific name	Gyps fulvus
1.5 Subspecific population	
1.6 Alternative species scientific name	
1.7 Common name	Όρνιο
1.8 Season	Breeding (B)

## 2. Population size

2.1 Year or period	2013-2018
2.2 Population size	a) Unit number of pairs (p) b) Minimum 380 c) Maximum 800 d) Best single value 400
2.3 Type of estimate	Best estimate
2.4 Population size Method used	Complete survey or a statistically robust estimate
2.5 Sources	<p>1) Dobrev, D., Arkumarev, V., Skartsi, T., Stamenov, A., Kret E. 2018. Griffon vulture population size and age structure in the Eastern Rhodopes. Technical report under Action A4, LIFE14 NAT/NL/901. Bulgarian society for the protection of birds, 19 pp.</p> <p>2) Tsiakiris R. and Pergantis F. (eds) 2019. Book of Abstracts of the International Workshop on "The Future of Vultures in Balkans: Tackling Threats and Building Network Opportunities"</p> <p>3) Λεγάκις, Α. &amp; Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ.</p> <p>4) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παραζογιού, C. &amp; Βαρόν, Β. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.</p> <p>5) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. &amp; Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.</p> <p>6) Status and population trends of vultures in Greece - Stavros M. Xirouchakis &amp; Rigas Tsiakiris</p> <p>7) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.»,</p>

## Annex B - Bird Species' status and trends report (Article 12)

Θεσσαλονίκη.

### 2.6 Change and reason for change (since previous report)

Improved knowledge/more accurate data  
Use of different method

The change is mainly due to: Improved knowledge/more accurate data

### 2.7 Additional information

## 3. Population trend

### 3.1 Short-term trend (last 12 years)

#### 3.1.1 Short-term trend Period

2007-2018

#### 3.1.2 Short-term trend Direction

Increasing (+)

#### 3.1.3 Short-term trend Magnitude

a) Minimum  
b) Maximum  
c) Best single value 70

#### 3.1.4 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

#### 3.1.5 Sources

- 1) Tsiakiris R. and Pergantis F. (eds) 2019. Book of Abstracts of the International Workshop on "The Future of Vultures in Balkans: Tackling Threats and Building Network Opportunities"
- 2) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12).
- 3) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ.
- 4) Natura Viewer (<http://natura2000.eea.europa.eu/#>).
- 5) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογιού, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.
- 6) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.
- 7) Status and population trends of vultures in Greece - Stavros M. Xirouchakis & Rigas Tsiakiris
- 8) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

## Annex B - Bird Species' status and trends report (Article 12)

### 3.2 Long-term trend (since c. 1980)

3.2.1 Long-term trend Period	1980-2018
3.2.2 Long-term trend Direction	Stable (0)
3.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value
3.2.4 Long-term Trend Method used	Based mainly on extrapolation from a limited amount of data
3.2.5 Sources	1) Hallmann, B. 1985. Status and conservation problems of birds of prey in Greece. – In: Newton, I. and Chancellor, R. D. (eds). Proceedings ICBP World Conference on Birds of Prey, Thessaloniki. ICBP Technical Publication No 5: 55–59. 2) Tsiakiris R. and Pergantis F. (eds) 2019. Book of Abstracts of the International Workshop on “The Future of Vultures in Balkans: Tackling Threats and Building Network Opportunities” 3) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 4) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 5) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. 6) Natura Viewer ( <a href="http://natura2000.eea.europa.eu/#">http://natura2000.eea.europa.eu/#</a> ). 7) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παραζογιού, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 8) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 9) Status and population trends of vultures in Greece - Stavros M. Xirouchakis & Rigas Tsiakiris 10) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

### 3.3 Additional information

The species population has increased locally in Crete, however it's distribution range in Greece has decreased substantially.

## 4. Breeding distribution map and size

4.1 Sensitive species Yes

## Annex B - Bird Species' status and trends report (Article 12)

4.2 Year or period	2013-2018
4.3 Breeding distribution map	Yes
4.4 Breeding distribution surface area	48300
4.5 Breeding distribution Method used	Based mainly on extrapolation from a limited amount of data
4.6 Additional maps	Yes
4.7 Sources	1) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) Mullarney, K., Svensson, L., Zetterström, D. & Grant, P. J., (2007), Οδηγός Αναγνώρισης: Τα Πουλιά της Ελλάδας, της Κύπρου και της Ευρώπης, Albert Bonniers Forlag, Stockholm/ Ελληνική Ορνιθολογική Εταιρεία, Αθήνα, Παπακωνσταντίνου, Κ., ISBN: 9789608663183 3) ΥΠΕΚΑ (2012). Περιγραφική και γεωγραφική βάση δεδομένων του Δικτύου Natura 2000 ( <a href="http://www.ypeka.gr/Default.aspx?tabid=432&amp;language=el-GR">http://www.ypeka.gr/Default.aspx?tabid=432&amp;language=el-GR</a> ) 4) GBIF (2012). Recommended practices for citation of the data published through the GBIF Network. Version 1.0 (Authored by Vishwas Chavan), Copenhagen: Global Biodiversity Information Facility. Pp.12, ISBN: 87-92020-36-4. < <a href="http://www.gbif.org/species/search">http://www.gbif.org/species/search</a> > 5) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ.< <a href="http://www.ypeka.gr/LinkClick.aspx?fileticket=TPsw%2b3PNVX8%3d&amp;tabid=518&amp;language=el-GR">http://www.ypeka.gr/LinkClick.aspx?fileticket=TPsw%2b3PNVX8%3d&amp;tabid=518&amp;language=el-GR</a> > 6) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
4.8 Additional information	The species population has increased locally in Crete, however it's distribution range in Greece has decreased substantially.

### 5. Breeding range trend

#### 5.1 Short-term trend (last 12 years)

5.1.1 Short-term trend Period	2007-2018
5.1.2 Short-term trend Direction	Decreasing (-)
5.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value -50
5.1.4 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data
5.1.5 Sources	Expert's judgment

#### 5.2 Long-term trend (since c. 1980)

5.2.1 Long-term trend Period	1980-2018
5.2.2 Long-term trend Direction	Decreasing (-)

## Annex B - Bird Species' status and trends report (Article 12)

5.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.2.4 Long-term trend Method used	Based mainly on extrapolation from a limited amount of data
5.2.5 Sources	Expert's judgment
5.3 Additional information	

## 6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.0 Is/Will the information related to international SAPs, MPs and BMSs (section 6) be provided for the other season for this species?	Yes
6.1 Type of international plan 6.2 Has a national plan linked to the international SAP/MP/BMS been adopted?	No
6.3 If 'NO', describe any measures and initiatives taken related to the international SAP/MP/BMS	
6.4 Assessment of the effectiveness of SAPs for globally threatened species (Art. 12, Species Action Plans)	()
6.5 Assessment of the effectiveness of MPs for huntable species in non-Secure status (Articles 3 and 7, Management Plans)	()
6.6 Sources of further Information	

## 7. Main pressures and threats

a) Pressure	b) Ranking	c) location
Conversion from other land uses to housing, settlement or recreational areas (excluding drainage and modification of coastline, estuary and coastal conditions) (F01)	M	inside the Member State (inMS)
Energy production and transmission activities not referred to above (D14)	M	inside the Member State (inMS)
Hunting (G07)	M	inside the Member State (inMS)
Extensive grazing or undergrazing by livestock (A10)	H	inside the Member State (inMS)
Clear-cutting, removal of all trees (B09)	M	inside the Member State (inMS)
Intensive grazing or overgrazing by livestock (A09)	H	inside the Member State (inMS)
Poisoning of animals (excluding lead poisoning) (G13)	H	inside the Member State (inMS)

## Annex B - Bird Species' status and trends report (Article 12)

Wind, wave and tidal power, including infrastructure (D01)	H	inside the Member State (inMS)
Livestock farming (without grazing) (A14)	M	inside the Member State (inMS)
Extraction activities generating noise, light or other forms of pollution (C13)	H	both inside and outside EU (inOutEU)
a) Threat	d) Ranking	e) location
Conversion from other land uses to housing, settlement or recreational areas (excluding drainage and modification of coastline, estuary and coastal conditions) (F01)	M	inside the Member State (inMS)
Energy production and transmission activities not referred to above (D14)	H	inside the Member State (inMS)
Hunting (G07)	M	inside the Member State (inMS)
Extensive grazing or undergrazing by livestock (A10)	M	inside the Member State (inMS)
Clear-cutting, removal of all trees (B09)	H	inside the Member State (inMS)
Intensive grazing or overgrazing by livestock (A09)	M	inside the Member State (inMS)
Poisoning of animals (excluding lead poisoning) (G13)	H	inside the Member State (inMS)
Wind, wave and tidal power, including infrastructure (D01)	H	inside the Member State (inMS)
Livestock farming (without grazing) (A14)	M	inside the Member State (inMS)
Extraction activities generating noise, light or other forms of pollution (C13)	H	both inside and outside EU (inOutEU)

### 7.2 Sources of information

Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογλου, C. & Βaron, Β. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. Available at: <http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEzaKE%3D&tabid=539&language=el-GR>.

Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β. Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ. Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

### 7.3 Additional information

## 8. Main Conservation Measures

### 8.1 Status of measures

Measures identified and taken

### 8.2 Main purpose of the measures taken

Expand the current distribution of the species

## Annex B - Bird Species' status and trends report (Article 12)

8.3 Location of the measures	Both inside and outside Natura 2000
8.4 Response to the measures	Medium-term results (within the next two reporting periods, 2019-2030)

### 8.5 List of main conservation measures

CA04 - Reinstate appropriate agricultural practices to address abandonment, including mowing, grazing, burning or equivalent measures

CA09 - Manage the use of natural fertilisers and chemicals in agricultural (plant and animal) production

CB05 - Adapt/change forest management and exploitation practices

CC03 - Adapt/manage renewable energy installation, facilities and operation

CC07 - Habitat restoration/creation from resources, exploitation areas or areas damaged due to installation of renewable energy infrastructure

CE01 - Reduce impact of transport operation and infrastructure

CG04 - Control/eradication of illegal killing, fishing and harvesting

8.6 Additional information	LIFE16 IPE/GR/000002
----------------------------	----------------------

## 9. Natura 2000 (SPAs) coverage

9.1 Population size inside the Natura 2000 (SPA) network	a) Unit	number of pairs (p)
	b) Minimum	64
	c) Maximum	76
	d) Best single value	
9.2 Type of estimate	Best estimate	
9.3 Population size inside the network Method used	Based mainly on extrapolation from a limited amount of data	
9.4 Short-term trend of population size within the network Direction	Unknown (X)	
9.5 Short-term trend of population size within the network Method used	Insufficient or no data available	
9.6 Additional information		