

Annex B - Bird Species' status and trends report (Article 12)

1. Species information

1.1 Member State	Greece
1.2 Species code	A176
1.3 EURING code	5750
1.4 Species scientific name	Larus melanocephalus
1.5 Subspecific population	
1.6 Alternative species scientific name	
1.7 Common name	Μαυροκέφαλος γλάρος
1.8 Season	Breeding (B)

2. Population size

2.1 Year or period	2015
2.2 Population size	a) Unit number of pairs (p) b) Minimum 650 c) Maximum 1950 d) Best single value
2.3 Type of estimate	Best estimate
2.4 Population size Method used	Based mainly on extrapolation from a limited amount of data
2.5 Sources	1) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. 2) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παραζογιού, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού 3) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 4) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
2.6 Change and reason for change (since previous report)	No change The change is mainly due to:

2.7 Additional information

3. Population trend

Annex B - Bird Species' status and trends report (Article 12)

3.1 Short-term trend (last 12 years)

3.1.1 Short-term trend Period	2007-2018
3.1.2 Short-term trend Direction	Decreasing (-)
3.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value -52
3.1.4 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data
3.1.5 Sources	1) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ. 3) Natura Viewer (http://natura2000.eea.europa.eu/#). 4) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παπαζογίου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 5) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 6) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

3.2 Long-term trend (since c. 1980)

3.2.1 Long-term trend Period	1980-2018
3.2.2 Long-term trend Direction	Unknown (X)
3.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value
3.2.4 Long-term Trend Method used	Insufficient or no data available
3.2.5 Sources	no data available
3.3 Additional information	

4. Breeding distribution map and size

4.1 Sensitive species	Yes
4.2 Year or period	2013-2018
4.3 Breeding distribution map	Yes

Annex B - Bird Species' status and trends report (Article 12)

4.4 Breeding distribution surface area	3200
4.5 Breeding distribution Method used	Based mainly on extrapolation from a limited amount of data
4.6 Additional maps	Yes
4.7 Sources	1) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) Mullarney, K., Svensson, L., Zetterström, D. & Grant, P. J., (2007), Οδηγός Αναγνώρισης: Τα Πουλιά της Ελλάδας, της Κύπρου και της Ευρώπης, Albert Bonniers Forlag, Stockholm/ Ελληνική Ορνιθολογική Εταιρεία, Αθήνα, Παπακωνσταντίνου, Κ., ISBN: 9789608663183 3) Hagemeijer, E.J.M. & M.J. Blair (editors). 1997. The EBCC Atlas of European Breeding Birds: their distribution and abundance. T & A.D. Poyser, London. < http://s1.sovon.nl/ebcc/eoa/ > 4) The IUCN Red List of Threatened Species. Version 2014.3. < www.iucnredlist.org > 5) ΥΠΕΚΑ (2012). Περιγραφική και γεωγραφική βάση δεδομένων του Δικτύου Natura 2000 (http://www.ypeka.gr/Default.aspx?tabid=432&language=el-GR) 6) Λεγάκις, Α. & Μαραγκού, Π. (επιμ.). 2009. Το Κόκκινο Βιβλίο των Απειλούμενων Ζώων της Ελλάδας. Ελληνική Ζωολογική Εταιρεία, Αθήνα, 528 σελ.< http://www.ypeka.gr/LinkClick.aspx?fileticket=TPsw%2b3PNVX8%3d&tabid=518&language=el-GR > 7) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

4.8 Additional information

5. Breeding range trend

5.1 Short-term trend (last 12 years)

5.1.1 Short-term trend Period	2007-2018
5.1.2 Short-term trend Direction	Unknown (X)
5.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.1.4 Short-term trend Method used	Insufficient or no data available
5.1.5 Sources	no data available

5.2 Long-term trend (since c. 1980)

5.2.1 Long-term trend Period	1980-2018
5.2.2 Long-term trend Direction	Unknown (X)
5.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value

Annex B - Bird Species' status and trends report (Article 12)

5.2.4 Long-term trend Method used Insufficient or no data available

5.2.5 Sources no data available

5.3 Additional information

6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.0 Is/Will the information related to international SAPs, MPs and BMSs (section 6) be provided for the other season for this species?

No

6.1 Type of international plan

No plan (NA)

6.2 Has a national plan linked to the international SAP/MP/BMS been adopted?

No

6.3 If 'NO', describe any measures and initiatives taken related to the international SAP/MP/BMS

6.4 Assessment of the effectiveness of SAPs for globally threatened species (Art. 12, Species Action Plans)

()

6.5 Assessment of the effectiveness of MPs for huntable species in non-Secure status (Articles 3 and 7, Management Plans)

()

6.6 Sources of further Information

7. Main pressures and threats

a) Pressure

b) Ranking

c) location

Intensive grazing or overgrazing by livestock (A09)

M

both inside and outside EU (inOutEU)

Abiotic natural processes (e.g. erosion, silting up, drying out, submersion, salinization) (L01)

H

both inside and outside EU (inOutEU)

Interspecific relations (competition, predation, parasitism, pathogens) (L06)

H

both inside and outside EU (inOutEU)

Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)

M

inside the Member State (inMS)

Creation or development of sports, tourism and leisure infrastructure (outside the urban or recreational areas) (F05)

M

inside the Member State (inMS)

Sports, tourism and leisure activities (F07)

M

inside the Member State (inMS)

Residential or recreational activities and structures generating noise, light, heat or other forms of pollution (F24)

H

inside the Member State (inMS)

Annex B - Bird Species' status and trends report (Article 12)

a) Threat	d) Ranking	e) location
Intensive grazing or overgrazing by livestock (A09)	m	both inside and outside EU (inOutEU)
Abiotic natural processes (e.g. erosion, silting up, drying out, submersion, salinization) (L01)	H	both inside and outside EU (inOutEU)
Interspecific relations (competition, predation, parasitism, pathogens) (L06)	H	both inside and outside EU (inOutEU)
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	M	inside the Member State (inMS)
Creation or development of sports, tourism and leisure infrastructure (outside the urban or recreational areas) (F05)	M	inside the Member State (inMS)
Sports, tourism and leisure activities (F07)	M	inside the Member State (inMS)
Residential or recreational activities and structures generating noise, light, heat or other forms of pollution (F24)	H	inside the Member State (inMS)

7.2 Sources of information

Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β. Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ. Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Οрниθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογλου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. Available at: <http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEzaKE%3D&tabi=539&language=el-GR>

IUCN. 2012. IUCN Red List of Threatened Species (ver. 2012.1). Available at: <http://www.iucnredlist.org>

7.3 Additional information

8. Main Conservation Measures

8.1 Status of measures

Measures needed but cannot be identified

8.2 Main purpose of the measures taken

8.3 Location of the measures

8.4 Response to the measures

8.6 Additional information

Annex B - Bird Species' status and trends report (Article 12)

9. Natura 2000 (SPAs) coverage

9.1 Population size inside the Natura 2000 (SPA) network

a) Unit	number of pairs (p)
b) Minimum	638
c) Maximum	1727
d) Best single value	

9.2 Type of estimate

Best estimate

9.3 Population size inside the network Method used

Based mainly on extrapolation from a limited amount of data

9.4 Short-term trend of population size within the network Direction

Unknown (X)

9.5 Short-term trend of population size within the network Method used

Insufficient or no data available

9.6 Additional information