

Annex B - Bird Species' status and trends report (Article 12)

1. Species information

1.1 Member State	Greece
1.2 Species code	A379
1.3 EURING code	18660
1.4 Species scientific name	Emberiza hortulana
1.5 Subspecific population	
1.6 Alternative species scientific name	
1.7 Common name	Βλαχοτσιχλονο
1.8 Season	Breeding (B)

2. Population size

2.1 Year or period	2015
2.2 Population size	a) Unit number of pairs (p) b) Minimum 20000 c) Maximum 50000 d) Best single value
2.3 Type of estimate	Best estimate
2.4 Population size Method used	Based mainly on extrapolation from a limited amount of data
2.5 Sources	1) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Natura Viewer (http://natura2000.eea.europa.eu/#). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογίου, C. & Βαρον, Β. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΙΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
2.6 Change and reason for change (since previous report)	No change The change is mainly due to:
2.7 Additional information	

3. Population trend

3.1 Short-term trend (last 12 years)

3.1.1 Short-term trend Period	2007-2018
-------------------------------	-----------

Annex B - Bird Species' status and trends report (Article 12)

3.1.2 Short-term trend Direction	Stable (0)
3.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value 0
3.1.4 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data
3.1.5 Sources	1) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Natura Viewer (http://natura2000.eea.europa.eu/#). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παραζογιου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

3.2 Long-term trend (since c. 1980)

3.2.1 Long-term trend Period	1980-2018
3.2.2 Long-term trend Direction	Stable (0)
3.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value 0
3.2.4 Long-term Trend Method used	Based mainly on extrapolation from a limited amount of data
3.2.5 Sources	1) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 3) Natura Viewer (http://natura2000.eea.europa.eu/#). 4) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παραζογιου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη

Annex B - Bird Species' status and trends report (Article 12)

Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

3.3 Additional information

4. Breeding distribution map and size

4.1 Sensitive species	No
4.2 Year or period	2015-2015
4.3 Breeding distribution map	Yes
4.4 Breeding distribution surface area	104400
4.5 Breeding distribution Method used	Based mainly on extrapolation from a limited amount of data
4.6 Additional maps	Yes
4.7 Sources	1) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) Mullarney, K., Svensson, L., Zetterström, D. & Grant, P. J., (2007), Οδηγός Αναγνώρισης: Τα Πουλιά της Ελλάδας, της Κύπρου και της Ευρώπης, Albert Bonniers Forlag, Stockholm/ Ελληνική Ορνιθολογική Εταιρεία, Αθήνα, Παπακωνσταντίνου, Κ., ISBN: 9789608663183. 3) The IUCN Red List of Threatened Species. Version 2014.3. < www.iucnredlist.org > 4) ΥΠΕΚΑ (2012). Περιγραφική και γεωγραφική βάση δεδομένων του Δικτύου Natura 2000 (http://www.ypeka.gr/Default.aspx?tabid=432&language=el-GR). 5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

4.8 Additional information

5. Breeding range trend

5.1 Short-term trend (last 12 years)

5.1.1 Short-term trend Period	2007-2018
5.1.2 Short-term trend Direction	Unknown (X)
5.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.1.4 Short-term trend Method used	Insufficient or no data available
5.1.5 Sources	No data available

5.2 Long-term trend (since c. 1980)

5.2.1 Long-term trend Period	1980-2018
5.2.2 Long-term trend Direction	Unknown (X)
5.2.3 Long-term trend Magnitude	a) Minimum

Annex B - Bird Species' status and trends report (Article 12)

b) Maximum
c) Best single value
Insufficient or no data available
No data available

5.2.4 Long-term trend Method used

5.2.5 Sources

5.3 Additional information

6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.0 Is/Will the information related to international SAPs, MPs and BMSs (section 6) be provided for the other season for this species?

No

6.1 Type of international plan

No plan (NA)

6.2 Has a national plan linked to the international SAP/MP/BMS been adopted?

No

6.3 If 'NO', describe any measures and initiatives taken related to the international SAP/MP/BMS

6.4 Assessment of the effectiveness of SAPs for globally threatened species (Art. 12, Species Action Plans)

()

6.5 Assessment of the effectiveness of MPs for huntable species in non-Secure status (Articles 3 and 7, Management Plans)

()

6.6 Sources of further Information

7. Main pressures and threats

a) Pressure

b) Ranking

c) location

Harvesting of crops and cutting of croplands (A17)

M

both inside and outside EU (inOutEU)

Conversion from one type of agricultural land use to another (excluding drainage and burning) (A02)

M

both inside and outside EU (inOutEU)

Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06)

M

both inside and outside EU (inOutEU)

Intensive grazing or overgrazing by livestock (A09)

H

inside the Member State (inMS)

Abiotic natural processes (e.g. erosion, silting up, drying out, submersion, salinization) (L01)

H

inside the Member State (inMS)

Annex B - Bird Species' status and trends report (Article 12)

a) Threat	d) Ranking	e) location
Harvesting of crops and cutting of croplands (A17)	M	both inside and outside EU (inOutEU)
Conversion from one type of agricultural land use to another (excluding drainage and burning) (A02)	M	both inside and outside EU (inOutEU)
Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06)	M	both inside and outside EU (inOutEU)
Intensive grazing or overgrazing by livestock (A09)	H	inside the Member State (inMS)
Abiotic natural processes (e.g. erosion, silting up, drying out, submersion, salinization) (L01)	H	inside the Member State (inMS)

7.2 Sources of information

- 1) IUCN. 2012. IUCN Red List of Threatened Species (ver. 2012.1). Available at: <http://www.iucnredlist.org>.
- 2) Δημαλέξης Τάσος. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της Οрниθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.
- 3) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούση Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Οрниθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

7.3 Additional information

8. Main Conservation Measures

8.1 Status of measures	Measures needed but cannot be identified
8.2 Main purpose of the measures taken	
8.3 Location of the measures	
8.4 Response to the measures	

8.6 Additional information

9. Natura 2000 (SPAs) coverage

9.1 Population size inside the Natura 2000 (SPA) network	a) Unit	number of pairs (p)
	b) Minimum	6000
	c) Maximum	8000
	d) Best single value	
9.2 Type of estimate	Best estimate	
9.3 Population size inside the network Method used	Based mainly on extrapolation from a limited amount of data	

Annex B - Bird Species' status and trends report (Article 12)

9.4 Short-term trend of population size within the network Direction

Unknown (X)

9.5 Short-term trend of population size within the network Method used

Insufficient or no data available

9.6 Additional information