

Annex B - Bird Species' status and trends report (Article 12)

1. Species information

1.1 Member State	Greece
1.2 Species code	A411
1.3 EURING code	3550
1.4 Species scientific name	Alectoris chukar
1.5 Subspecific population	
1.6 Alternative species scientific name	
1.7 Common name	Νησιώτικη Πέрдικα
1.8 Season	Breeding (B)

2. Population size

2.1 Year or period	2015
2.2 Population size	a) Unit number of pairs (p) b) Minimum 200000 c) Maximum 250000 d) Best single value
2.3 Type of estimate	Best estimate
2.4 Population size Method used	Based mainly on extrapolation from a limited amount of data
2.5 Sources	1) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογιου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 3) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
2.6 Change and reason for change (since previous report)	Improved knowledge/more accurate data Use of different method The change is mainly due to: Improved knowledge/more accurate data

2.7 Additional information

3. Population trend

3.1 Short-term trend (last 12 years)

3.1.1 Short-term trend Period	2007-2018
-------------------------------	-----------

Annex B - Bird Species' status and trends report (Article 12)

3.1.2 Short-term trend Direction	Stable (0)
3.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value 0
3.1.4 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data
3.1.5 Sources	1) BirdLife International (2004) Birds in Europe:Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογλου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 3) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

3.2 Long-term trend (since c. 1980)

3.2.1 Long-term trend Period	1980-2018
3.2.2 Long-term trend Direction	Stable (0)
3.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value 0
3.2.4 Long-term Trend Method used	Based mainly on extrapolation from a limited amount of data
3.2.5 Sources	1) Handrinos,G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) BirdLife International (2004) Birds in Europe:Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογλου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.»,

Annex B - Bird Species' status and trends report (Article 12)

Θεσσαλονίκη.

3.3 Additional information

4. Breeding distribution map and size

4.1 Sensitive species	No
4.2 Year or period	2015-2015
4.3 Breeding distribution map	Yes
4.4 Breeding distribution surface area	85500
4.5 Breeding distribution Method used	Based mainly on extrapolation from a limited amount of data
4.6 Additional maps	Yes
4.7 Sources	1) Handrinos,G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) Mullarney, K., Svensson, L., Zetterström, D. & Grant, P. J., (2007), Οδηγός Αναγνώρισης: Τα Πουλιά της Ελλάδας, της Κύπρου και της Ευρώπης, Albert Bonniers Forlag, Stockholm/ Ελληνική Ορνιθολογική Εταιρεία, Αθήνα, Παπακωνσταντίνου, Κ., ISBN: 9789608663183. 3) Hagemeijer, E.J.M. & M.J. Blair (editors). 1997. The EBCC Atlas of European Breeding Birds: their distribution and abundance. T & A.D. Poyser, London. < http://s1.sovon.nl/ebcc/ea/ > 4) The IUCN Red List of Threatened Species. Version 2014.3. < www.iucnredlist.org > 5) ΥΠΕΚΑ (2012). Περιγραφική και γεωγραφική βάση δεδομένων του Δικτύου Natura 2000 (http://www.ypeka.gr/Default.aspx?tabid=432&language=el-GR).

4.8 Additional information

5. Breeding range trend

5.1 Short-term trend (last 12 years)

5.1.1 Short-term trend Period	2007-2018
5.1.2 Short-term trend Direction	Unknown (X)
5.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.1.4 Short-term trend Method used	Insufficient or no data available
5.1.5 Sources	No data available

5.2 Long-term trend (since c. 1980)

5.2.1 Long-term trend Period	1980-2018
5.2.2 Long-term trend Direction	Unknown (X)
5.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.2.4 Long-term trend Method used	Insufficient or no data available
5.2.5 Sources	No data available

5.3 Additional information

Annex B - Bird Species' status and trends report (Article 12)

6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.0 Is/Will the information related to international SAPs, MPs and BMSs (section 6) be provided for the other season for this species?	No
6.1 Type of international plan	No plan (NA)
6.2 Has a national plan linked to the international SAP/MP/BMS been adopted?	No
6.3 If 'NO', describe any measures and initiatives taken related to the international SAP/MP/BMS	
6.4 Assessment of the effectiveness of SAPs for globally threatened species (Art. 12, Species Action Plans)	()
6.5 Assessment of the effectiveness of MPs for huntable species in non-Secure status (Articles 3 and 7, Management Plans)	()
6.6 Sources of further Information	

7. Main pressures and threats

a) Pressure	b) Ranking	c) location
Hunting (G07)	M	inside the Member State (inMS)

a) Threat	d) Ranking	e) location
Hunting (G07)	M	inside the Member State (inMS)

7.2 Sources of information

Hellenic Common Birds Monitoring Scheme database (2007-2019), Hellenic Ornithological Society.

7.3 Additional information

Annex B - Bird Species' status and trends report (Article 12)

8. Main Conservation Measures

8.1 Status of measures

8.2 Main purpose of the measures taken

8.3 Location of the measures

8.4 Response to the measures

8.6 Additional information

9. Natura 2000 (SPAs) coverage

9.1 Population size inside the Natura 2000 (SPA) network

- a) Unit
- b) Minimum
- c) Maximum
- d) Best single value

9.2 Type of estimate

9.3 Population size inside the network
Method used

9.4 Short-term trend of population size within the network
Direction

9.5 Short-term trend of population size within the network
Method used

9.6 Additional information

10. Information related to Annex II species (Art.7)

10.0 Is/Will the information related to Annex II species (section 10) be provided for the other season for this species?

No

10.1 Is the species nationally hunted?

Yes

Annex B - Bird Species' status and trends report (Article 12)

10.2 Hunting bag	a) Unit
	b) Statistics/ quantity taken
	Min. <i>(raw, i.e. not rounded)</i>
	Max. <i>(raw, i.e. not rounded)</i>
	Unknown

number of individuals (i)

<i>Provide statistics per hunting season or per year (where season is not used) over the reporting period.</i>					
<i>Season/ Year 1</i>	<i>Season/ Year 2</i>	<i>Season/ Year 3</i>	<i>Season/ Year 4</i>	<i>Season/ Year 5</i>	<i>Season/ Year 6</i>
45000	45700	52800	52000	65400	45000
55900	54500	62100	64000	52000	36000
No	No	No	No	No	No

Complete survey or a statistically robust estimate

1) ARTEMIS Project 1995-2018. Recording and monitoring game species populations in Greece through harvest indices.

10.3 Hunting bagMethod used

10.4 Additional information