

## Annex B - Bird Species' status and trends report (Article 12)

### 1. Species information

1.1 Member State	Greece
1.2 Species code	A868
1.3 EURING code	8830
1.4 Species scientific name	Leiorpicus medius
1.5 Subspecific population	
1.6 Alternative species scientific name	former name: Dendrocopos medius
1.7 Common name	Μεσαίος Δρυοκολάπτης
1.8 Season	Breeding (B)

### 2. Population size

2.1 Year or period	2015
2.2 Population size	a) Unit number of pairs (p) b) Minimum 10000 c) Maximum 30000 d) Best single value
2.3 Type of estimate	Best estimate
2.4 Population size Method used	Based mainly on extrapolation from a limited amount of data
2.5 Sources	1) BirdLife International (2004) Birds in Europe : Population estimates, trends and conservation status, Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Natura viewer ( <a href="http://natura2000.eea.europa.eu/#">http://natura2000.eea.europa.eu/#</a> ). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογιου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 5) Βλάχος Χ., Μπίρτσας Π., Θωμάϊδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
2.6 Change and reason for change (since previous report)	No change The change is mainly due to:

### 2.7 Additional information

## Annex B - Bird Species' status and trends report (Article 12)

### 3. Population trend

#### 3.1 Short-term trend (last 12 years)

3.1.1 Short-term trend Period	2007-2018
3.1.2 Short-term trend Direction	Stable (0)
3.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value 0
3.1.4 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data
3.1.5 Sources	1) BirdLife International (2004) Birds in Europe : Population estimates, trends and conservation status, Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Natura viewer ( <a href="http://natura2000.eea.europa.eu/#">http://natura2000.eea.europa.eu/#</a> ). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογλου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

#### 3.2 Long-term trend (since c. 1980)

3.2.1 Long-term trend Period	1980-2018
3.2.2 Long-term trend Direction	Stable (0)
3.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value 0
3.2.4 Long-term Trend Method used	Based mainly on extrapolation from a limited amount of data
3.2.5 Sources	1) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) BirdLife International (2004) Birds in Europe : Population estimates, trends and conservation status, Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 3) Natura viewer ( <a href="http://natura2000.eea.europa.eu/#">http://natura2000.eea.europa.eu/#</a> ). 4) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογλου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη

## Annex B - Bird Species' status and trends report (Article 12)

χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας.  
Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.

5) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.

6) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

### 3.3 Additional information

## 4. Breeding distribution map and size

4.1 Sensitive species	No
4.2 Year or period	2013-2018
4.3 Breeding distribution map	Yes
4.4 Breeding distribution surface area	96400
4.5 Breeding distribution Method used	Based mainly on extrapolation from a limited amount of data
4.6 Additional maps	Yes
4.7 Sources	1) Society for the Protection of Prespa (2019), unpublished data. 2) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 3) Mullarney, K., Svensson, L., Zetterström, D. & Grant, P. J., (2007), Οδηγός Αναγνώρισης: Τα Πουλιά της Ελλάδας, της Κύπρου και της Ευρώπης, Albert Bonniers Forlag, Stockholm/ Ελληνική Ορνιθολογική Εταιρεία, Αθήνα, Παπακωνσταντίνου, Κ., ISBN: 9789608663183 4) Hagemeijer, E.J.M. & M.J. Blair (editors). 1997. The EBCC Atlas of European Breeding Birds: their distribution and abundance. T & A.D. Poyser, London. < <a href="http://s1.sovon.nl/ebcc/eoa/">http://s1.sovon.nl/ebcc/eoa/</a> > 5) The IUCN Red List of Threatened Species. Version 2014.3. < <a href="http://www.iucnredlist.org">www.iucnredlist.org</a> > 6) ΥΠΕΚΑ (2012). Περιγραφική και γεωγραφική βάση δεδομένων του Δικτύου Natura 2000 ( <a href="http://www.ypeka.gr/Default.aspx?tabid=432&amp;language=el-GR">http://www.ypeka.gr/Default.aspx?tabid=432&amp;language=el-GR</a> ) 7) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

### 4.8 Additional information

## Annex B - Bird Species' status and trends report (Article 12)

### 5. Breeding range trend

#### 5.1 Short-term trend (last 12 years)

5.1.1 Short-term trend Period	2007-2018
5.1.2 Short-term trend Direction	Unknown (X)
5.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.1.4 Short-term trend Method used	Insufficient or no data available
5.1.5 Sources	No data available

#### 5.2 Long-term trend (since c. 1980)

5.2.1 Long-term trend Period	1980-2018
5.2.2 Long-term trend Direction	Unknown (X)
5.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.2.4 Long-term trend Method used	Insufficient or no data available
5.2.5 Sources	No data available
5.3 Additional information	

### 6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.0 Is/Will the information related to international SAPs, MPs and BMSs (section 6) be provided for the other season for this species?	No
6.1 Type of international plan	No plan (NA)
6.2 Has a national plan linked to the international SAP/MP/BMS been adopted?	No
6.3 If 'NO', describe any measures and initiatives taken related to the international SAP/MP/BMS	
6.4 Assessment of the effectiveness of SAPs for globally threatened species (Art. 12, Species Action Plans)	()
6.5 Assessment of the effectiveness of MPs for huntable species in non-Secure status (Articles 3 and 7, Management Plans)	()
6.6 Sources of further Information	

## Annex B - Bird Species' status and trends report (Article 12)

### 7. Main pressures and threats

a) Pressure	b) Ranking	c) location
Conversion to other types of forests including monocultures (B02)	H	inside the Member State (inMS)
Clear-cutting, removal of all trees (B09)	M	inside the Member State (inMS)
Removal of dead and dying trees, including debris (B07)	H	inside the Member State (inMS)
Other human intrusions and disturbance not mentioned above (H08)	M	inside the Member State (inMS)
Intensive grazing or overgrazing by livestock (A09)	M	inside the Member State (inMS)
Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06)	M	inside the Member State (inMS)
Removal of small landscape features for agricultural land parcel consolidation (hedges, stone walls, rushes, open ditches, springs, solitary trees, etc.) (A05)	M	inside the Member State (inMS)
Extraction of minerals (e.g. rock, metal ores, gravel, sand, shell) (C01)	M	inside the Member State (inMS)
Problematic native species (I04)	M	inside the Member State (inMS)
Interspecific relations (competition, predation, parasitism, pathogens) (L06)	M	inside the Member State (inMS)
a) Threat	d) Ranking	e) location
Conversion to other types of forests including monocultures (B02)	H	inside the Member State (inMS)
Clear-cutting, removal of all trees (B09)	M	inside the Member State (inMS)
Removal of dead and dying trees, including debris (B07)	H	inside the Member State (inMS)
Other human intrusions and disturbance not mentioned above (H08)	M	inside the Member State (inMS)
Intensive grazing or overgrazing by livestock (A09)	M	inside the Member State (inMS)
Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06)	M	inside the Member State (inMS)
Removal of small landscape features for agricultural land parcel consolidation (hedges, stone walls, rushes, open ditches, springs, solitary trees, etc.) (A05)	M	inside the Member State (inMS)
Extraction of minerals (e.g. rock, metal ores, gravel, sand, shell) (C01)	M	inside the Member State (inMS)
Problematic native species (I04)	M	inside the Member State (inMS)
Interspecific relations (competition, predation, parasitism, pathogens) (L06)	M	inside the Member State (inMS)

## Annex B - Bird Species' status and trends report (Article 12)

### 7.2 Sources of information

Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογλου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. Available at: <http://www.ypoka.gr/LinkClick.aspx?fileticket=62LywcEzaKE%3D&tabid=539&language=el-GR>.

Gassios A. (2009) Habitat structural characteristics of woodpeckers in Derio-Dadia-Aisimi forest of Evros prefecture, Master Thesis. Aristotle University of Thessaloniki, Faculty of Agriculture, Forestry and Natural Environment. Available at <http://invenio.lib.auth.gr/record/123135?ln=el>

Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ. Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

### 7.3 Additional information

## 8. Main Conservation Measures

### 8.1 Status of measures

### 8.2 Main purpose of the measures taken

### 8.3 Location of the measures

### 8.4 Response to the measures

### 8.6 Additional information

## 9. Natura 2000 (SPAs) coverage

### 9.1 Population size inside the Natura 2000 (SPA) network

a) Unit	number of pairs (p)
b) Minimum	810
c) Maximum	956
d) Best single value	

### 9.2 Type of estimate

Best estimate

### 9.3 Population size inside the network Method used

Based mainly on extrapolation from a limited amount of data

### 9.4 Short-term trend of population size within the network Direction

Unknown (X)

## Annex B - Bird Species' status and trends report (Article 12)

9.5 Short-term trend of population size within the network Method used

Insufficient or no data available

9.6 Additional information