

Annex B - Bird Species' status and trends report (Article 12)

1. Species information

1.1 Member State	Greece
1.2 Species code	A885
1.3 EURING code	6240
1.4 Species scientific name	Sternula albifrons
1.5 Subspecific population	
1.6 Alternative species scientific name	Sterna albifrons albifrons
1.7 Common name	Νανογλάρονο
1.8 Season	Breeding (B)

2. Population size

2.1 Year or period	2013-2018
2.2 Population size	a) Unit number of pairs (p) b) Minimum 1500 c) Maximum 2000 d) Best single value
2.3 Type of estimate	Best estimate
2.4 Population size Method used	Based mainly on extrapolation from a limited amount of data
2.5 Sources	1) BirdLife International (2017). European birds of conservation concern: populations, trends and national responsibilities. Cambridge. UK: BirdLife International. ISBN 978-1-912086-00-9 2) Natura Viewer (http://natura2000.eea.europa.eu/#). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογιου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη. 6) Dimalexis, T., Bousbouras, D., Kastritis, T., Manolopoulos, A. & Saravia, V. (eds.) 2009. Evaluation of 69 Important Bird Areas as Special Protection Areas. Hellenic Ministry for the Environment, Physical Planning and Public Works, Athens.
2.6 Change and reason for change (since previous report)	Improved knowledge/more accurate data The change is mainly due to: Improved knowledge/more accurate data

Annex B - Bird Species' status and trends report (Article 12)

2.7 Additional information

3. Population trend

3.1 Short-term trend (last 12 years)

3.1.1 Short-term trend Period 2007-2018

3.1.2 Short-term trend Direction Stable (0)

3.1.3 Short-term trend Magnitude
a) Minimum
b) Maximum
c) Best single value 0

3.1.4 Short-term trend Method used Based mainly on extrapolation from a limited amount of data

3.1.5 Sources

- 1) BirdLife International (2017). European birds of conservation concern: populations, trends and national responsibilities. Cambridge. UK: BirdLife International. ISBN 978-1-912086-00-9
- 2) Natura Viewer (<http://natura2000.eea.europa.eu/#>).
- 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παπαζογλου, C. & Baron, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.
- 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.
- 5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
- 6) Dimalexis, T., Bousbouras, D., Kastritis, T., Manolopoulos, A. & Saravia, V. (eds.) 2009. Evaluation of 69 Important Bird Areas as Special Protection Areas. Hellenic Ministry for the Environment, Physical Planning and Public Works, Athens.

3.2 Long-term trend (since c. 1980)

3.2.1 Long-term trend Period 1980-2018

3.2.2 Long-term trend Direction Decreasing (-)

3.2.3 Long-term trend Magnitude
a) Minimum
b) Maximum
c) Best single value -14

3.2.4 Long-term Trend Method used Based mainly on extrapolation from a limited amount of data

3.2.5 Sources

- 1) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C

Annex B - Bird Species' status and trends report (Article 12)

Black, London.

2) BirdLife International (2004) Birds in Europe: Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12).

3) Natura Viewer (<http://natura2000.eea.europa.eu/#>).

4) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογιου, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού.

5) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.). 2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.

6) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

3.3 Additional information

4. Breeding distribution map and size

4.1 Sensitive species	No
4.2 Year or period	2013-2018
4.3 Breeding distribution map	Yes
4.4 Breeding distribution surface area	12200
4.5 Breeding distribution Method used	Based mainly on extrapolation from a limited amount of data
4.6 Additional maps	Yes
4.7 Sources	1) Handrinos, G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) Mullarney, K., Svensson, L., Zetterström, D. & Grant, P. J., (2007), Οδηγός Αναγνώρισης: Τα Πουλιά της Ελλάδας, της Κύπρου και της Ευρώπης, Albert Bonniers Forlag, Stockholm/ Ελληνική Ορνιθολογική Εταιρεία, Αθήνα, Παπακωνσταντίνου, Κ., ISBN: 9789608663183 3) Hagemeyer, E.J.M. & M.J. Blair (editors). 1997. The EBCC Atlas of European Breeding Birds: their distribution and abundance. T & A.D. Poyser, London. < http://s1.sovon.nl/ebcc/eoa/ > 4) The IUCN Red List of Threatened Species. Version 2014.3. < www.iucnredlist.org > 5) ΥΠΕΚΑ (2012). Περιγραφική και γεωγραφική βάση δεδομένων του Δικτύου Natura 2000 (http://www.ypeka.gr/Default.aspx?tabid=432&language=el-GR) 6) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος

Annex B - Bird Species' status and trends report (Article 12)

Α., Στεφάνου Λ.Μ., Κασάμπαλης Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης).
2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης
Διατήρησης Ειδών Οрниθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη
Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ
ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.»,
Θεσσαλονίκη.

4.8 Additional information

5. Breeding range trend

5.1 Short-term trend (last 12 years)

5.1.1 Short-term trend Period	2007-2018
5.1.2 Short-term trend Direction	Unknown (X)
5.1.3 Short-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.1.4 Short-term trend Method used	Insufficient or no data available
5.1.5 Sources	No data available

5.2 Long-term trend (since c. 1980)

5.2.1 Long-term trend Period	1980-2018
5.2.2 Long-term trend Direction	Unknown (X)
5.2.3 Long-term trend Magnitude	a) Minimum b) Maximum c) Best single value
5.2.4 Long-term trend Method used	Insufficient or no data available
5.2.5 Sources	No data available

5.3 Additional information

6. Progress in work related to international Species Action Plans (SAPs), Management Plans (MPs) and Brief Management Statements (BMSs)

6.0 Is/Will the information related to international SAPs, MPs and BMSs (section 6) be provided for the other season for this species?	No
6.1 Type of international plan	No plan (NA)
6.2 Has a national plan linked to the international SAP/MP/BMS been adopted?	No
6.3 If 'NO', describe any measures and initiatives taken related to the international SAP/MP/BMS	
6.4 Assessment of the effectiveness of SAPs for globally threatened species (Art. 12, Species Action Plans)	()

Annex B - Bird Species' status and trends report (Article 12)

6.5 Assessment of the effectiveness of MPs for huntable species in non-Secure status (Articles 3 and 7, Management Plans)

()

6.6 Sources of further Information

7. Main pressures and threats

a) Pressure	b) Ranking	c) location
Intensive grazing or overgrazing by livestock (A09)	H	inside the Member State (inMS)
Illegal harvesting, collecting and taking (G11)	H	inside the Member State (inMS)
Agriculture activities not referred to above (A36)	H	inside the Member State (inMS)
Physical alteration of water bodies (K05)	H	inside the Member State (inMS)
Sports, tourism and leisure activities (F07)	H	inside the Member State (inMS)
Development and maintenance of beach areas for tourism and recreation incl. beach nourishment and beach cleaning (F06)	M	inside the Member State (inMS)
Modification of coastline, estuary and coastal conditions for development, use and protection of residential, commercial, industrial and recreational infrastructure and areas (including sea defences or coastal protection works and infrastructures) (F08)	M	inside the Member State (inMS)
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	M	inside the Member State (inMS)
Creation or development of sports, tourism and leisure infrastructure (outside the urban or recreational areas) (F05)	M	inside the Member State (inMS)
Use of plant protection chemicals in agriculture (A21)	M	inside the Member State (inMS)

a) Threat	d) Ranking	e) location
Intensive grazing or overgrazing by livestock (A09)	H	inside the Member State (inMS)
Illegal harvesting, collecting and taking (G11)	H	inside the Member State (inMS)
Agriculture activities not referred to above (A36)	H	inside the Member State (inMS)
Physical alteration of water bodies (K05)	H	inside the Member State (inMS)
Sports, tourism and leisure activities (F07)	H	inside the Member State (inMS)
Development and maintenance of beach areas for tourism and recreation incl. beach nourishment and beach cleaning (F06)	M	inside the Member State (inMS)
Modification of coastline, estuary and coastal conditions for development, use and protection of residential, commercial, industrial and recreational infrastructure and areas (including sea defences or coastal protection works and infrastructures) (F08)	M	inside the Member State (inMS)
Roads, paths, railroads and related infrastructure (e.g. bridges, viaducts, tunnels) (E01)	M	inside the Member State (inMS)

Annex B - Bird Species' status and trends report (Article 12)

Creation or development of sports, tourism and leisure infrastructure (outside the urban or recreational areas) (F05)	M	inside the Member State (inMS)
Use of plant protection chemicals in agriculture (A21)	M	inside the Member State (inMS)

7.2 Sources of information

- 1) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παρραζογλου, C. & Βaron, Β. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. Available at: <http://www.ypeka.gr/LinkClick.aspx?fileticket=62LywcEzaKE%3D&tabid=539&language=el-GR>
- 2) Βλάχος Χ., Βλαχάκη Δ., Συμεωνίδης Π., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Δεδουσοπούλου Ε., Κιούσης Δ., Κόντος Κ., Ξένος Α. και Στεφάνου Λ. (Συντονιστές έκδοσης). 2015. Έκθεση και Συμπληρωμένα Πρωτόκολλα Παρακολούθησης Ειδών Ορνιθοπανίδας, Γ' Φάσης της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΕΚΑ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.»,

7.3 Additional information

8. Main Conservation Measures

8.1 Status of measures	Measures needed but cannot be identified
8.2 Main purpose of the measures taken	
8.3 Location of the measures	
8.4 Response to the measures	

8.6 Additional information

9. Natura 2000 (SPAs) coverage

9.1 Population size inside the Natura 2000 (SPA) network	a) Unit	number of pairs (p)
	b) Minimum	464
	c) Maximum	903
	d) Best single value	
9.2 Type of estimate	Best estimate	
9.3 Population size inside the network Method used	Based mainly on extrapolation from a limited amount of data	
9.4 Short-term trend of population size within the network Direction	Unknown (X)	

Annex B - Bird Species' status and trends report (Article 12)

9.5 Short-term trend of population size within the network Method used

Insufficient or no data available

9.6 Additional information