

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 1210

NAME: Annual vegetation of drift lines

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2006-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

Dimopoulos P., Xystrakis F. and Tsiripidis I. 2014. Deliverable A1. Final Catalogue of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 54.

Dimopoulos P., Fotiadis G., Tsiripidis I., Panitsa M. and Karadimou E. 2014. Deliverable A2. Report and Literature Database on Habitat Types of Greece – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 210.

Tsiripidis I., Xystrakis F., Kasampalis D., Mastrogianni A., Strid A. and Dimopoulos P., 2014. Deliverable A4. Potential Distribution Maps of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, Athens, pages 176.

Dimopoulos P., Tsiripidis I., Xystrakis F., Panitsa M., Fotiadis G., Kallimanis A.S. and Kazoglou I. 2014. Deliverable A6. Explanatory Implementation Manual for the Conservation Degree Assessment of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 35. (with Annexes: I. Habitat types protocols, pages 600; II. Explanatory notes on the habitat types protocols selection, pages 4; III. Correspondence of Habitat types protocols with the clusters of vegetation relevés (excel file).

Dimopoulos P., Tsiripidis I., Xystrakis F., Kallimanis A.S and Panitsa M. 2014. Deliverable A7. Preliminary Analysis of the Field Data for the Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 16.

Babalonas D. 1980. Vegetationseinheiten und Vegetationskartierung in dem Mündungsgebiet des Flusses Evros. Feddes Repert 9 (9/10): 615 – 627.

Babalonas D., Sýkora K.V. & Papastergiadou E. 1995. Review of plant communities from Greek dunes and salt marshes. A preliminary summarizing list. Ann. Bot. (Roma) 53: 107-117.

Βαλλιανάτου Ε. 2005. Γεωβοτανική Έρευνα της Σαλαμίνας, Αίγινας και μερικών άλλων Νησιών του Σαρωνικού Κόλπου. Διδακτορική Διατριβή. Εθνικό και Καποδιστριακό Πανεπιστήμιο Αθηνών, σελ. 558.

Βασιλείου Α., Μπαμπαλώνας Δ. & Greuter W. 2000. Ανάλυση της βλάστησης και των εδαφικών συνθηκών στη λιμνοθάλασσα της Επανομής. Πρακτικά του 8ου Επιστημονικού Συνεδρίου της Ελληνικής Βοτανικής Εταιρίας, Πάτρα, 5-8 Οκτωβρίου 2000: 89-95.

Biondi E. 1989. The vegetation of sedimentary low coasts in Corfu island. Colloques phytosociologiques XIX: 401-427.

Δρόσος Ε.Γ. 2001. Η αμμόφιλη βλάστηση των ακτών της νήσου Θάσου. Biologia

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Gallo-hellenica 27: 157-193.

Δρόσος Ε., Αθανασιάδης Ν., Θεοδωρόπουλος Κ. & Ελευθεριάδου Ε. 1996. Αμμόφιλες, Αλόφιλες και υδρόφιλες φυτοκοινωνίες του Δέλτα του Θεσσαλικού Πηνειού ποταμού. Επ.Επ. Τμ. Δασολογίας & Φ.Π. 39(1): 327-365.

Gehu J.M. Apostolides N. Gehu-Franck J. & Arnold K. 1989. Premieres donees sur la vegetation littorale des iles de Rhodos et de Karpathos (Grece). Colloques phytosociologiques XIX: 545-582.

Gehu J.M., Costa M., Biondi E., Franck J. & Arnold N. 1987. Donnees sur la vegetation littorale de la Crete (Grece). Ecologia Mediterranea XIII (1/2): 93-105.

Georgiadis Th., Dimopoulos P. & Dimitrellos G. 1997. The flora and vegetation of the Acheron Delta (W Greece) aiming at nature conservation. Phytion 37: 31-60.

Θεοδωρόπουλος Κ. 2001. Ζώνες βλάστησης και τύποι οικοτόπων του νομού Θεσσαλονίκης. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΜΔ: 353-381.

Lavrentiades G.J. 1976. On the vegetation of Patras area. Veroffentlichungen des Geobot. Inst. ETH, Stiftung Rubel, Zurich 56: 59-71.

Lavrentiades G. 1975. On the vegetation of the Porto-Lagos coasts. In Jordanov, D. & al. (eds): Problems of Balkan flora and vegetation, Sofia, Publishing House of the Bulgarian Academy of Sciences, pg. 365-379.

Lavrentiades G.J. 1964. The ammophilous vegetation of the western Peloponnesos coasts. Vegetatio 12(3-4): 223-287.

Lavrentiades G.J. 1963. On the vegetation of the Keramoti coasts. Boll. Ist. Bot. Univ. Catania 3(4): 81-103.

Μπαμπαλώνας Δ. 1979. Οι φυτοκοινωνιολογικές τάξεις *Ammophiletalia arundinaceae* (Br.-Bl. 1933) R. Tx. Et Oberd. 1958 και *Elymetalia gigantei* Vich. 1971 στην οριακή θέση της Θράκης. Πρακτικά 1ης επιστημονικής ημερίδας Ελληνικής Εταιρείας Βιολογικών Επιστημών. Θεσσαλονίκη.

Oberdorfer E. 1952. Beitrag zur Kenntnis der Nordägäischen Küstenvegetation. Vegetatio 3: 329-349.

Πανίτσα Μ. 1997. Συμβολή στη γνώση της χλωρίδας και της βλάστησης των νησίδων του ανατολικού Αιγαίου. Διδακτορική Διατριβή, Πανεπιστήμιο Πατρών, pg. 345.

Πανίτσα Μ. & Τζανουδάκης Δ. 2005. Συμβολή στη γνώση της χλωρίδας και της βλάστησης του μικρονησιωτικού συμπλέγματος της Λέρου. Πρακτικά του 10ου Πανελληνίου Επιστημονικού Συνεδρίου της Ελληνικής Βοτανικής Εταιρείας, Ιωάννινα, 5-8 Μαΐου 2005, σελ. 3 (σε CD).

Panitsa, M. & D. Tzanoudakis (2010): Floristic diversity on small islands and islets: Leros islets'group (East Aegean area, Greece). Phytologia Balcanica 16(2), 271-284.

Raus Th. 1986. Floren- und Vegetationsdynamik auf der Vulkaninsel Nea Kaimeni (Santorin-Archipel, Kykladen, Griechenland). Abh. Landesmus. Naturkd. Münster/Westf. 48: 373-394.

Sarika M. 2012. Flora and vegetation of some coastal ecosystems of Sterea Ellas and eastern continental Greece. Lazaroa 33: 65-99.

Sýkora K.V., Babalonas D. & Papastergiadou E. 1998. An overview of the coastal vegetation of Greece based on multivariate analysis: Dunes. Proceedings of the 1st Balkan Botanical Congress (Progress in Botanical Research), Thessaloniki 1998. Kluwer Academic Publishers, 149-152.

Sýkora K.V., Babalonas D. & Papastergiadou E. 2003. Strandline and sand-dune vegetation of coasts of Greece and some other Aegean countries. Phytocoenologia 33(2-3): 409-446.

Vasiliou A. 2000. Die psammophile und halophile Vegetation des Lagunenkomplexes Epanomi (Makedonien, Nordgriechenland).

Pflanzensoziologische und floristische Untersuchungen. Diplomarbeit, Freie

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Universität Berlin, pg. 125.

Wolff W.J. 1968. The halophilous vegetation of the lagoons of Mesolonghi, Greece. Vegetatio 16: 95-134.

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km ²)	9,1
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unkown No method
2.3.10 Reason for change	Improved knowledge/more accurate data Use of different method

2.4 Area covered by Habitat

2.4.1 Surface area (km ²)	9,1
2.4.2 Year or period	2006-2012
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.4 Short-term trend period	2001-2012
2.4.5 Short-term trend direction	stable (0)
2.4.6 Short-term trend magnitude	min max
2.4.7 Short term trend method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.8 Long-term trend period	
2.4.9 Long-term trend direction	N/A
2.4.10 Long-term trend magnitude	min max
2.4.11 Long term trend method used	N/A
2.4.12 Favourable reference area	area (km) operator approximately equal to (≈) unknown No method
2.4.13 Reason for change	Improved knowledge/more accurate data Use of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
grazing (A04)	low importance (L)	N/A
Roads, paths and railroads (D01)	low importance (L)	N/A
Urbanised areas, human habitation (E01)	low importance (L)	N/A
Discharges (E03)	low importance (L)	N/A
Structures, buildings in the landscape (E04)	low importance (L)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	high importance (H)	N/A
Sport and leisure structures (G02)	low importance (L)	N/A

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Soil pollution and solid waste (excluding discharges) (H05)	low importance (L)	N/A
invasive non-native species (I01)	low importance (L)	N/A
human induced changes in hydraulic conditions (J02)	low importance (L)	N/A
Other ecosystem modifications (J03)	low importance (L)	N/A
Other human intrusions and disturbances (G05)	low importance (L)	N/A

2.5.1 Method used – pressures mainly based on expert judgement and other data (2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
grazing (A04)	low importance (L)	N/A
Roads, paths and railroads (D01)	low importance (L)	N/A
Urbanised areas, human habitation (E01)	low importance (L)	N/A
Discharges (E03)	low importance (L)	N/A
Structures, buildings in the landscape (E04)	low importance (L)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	high importance (H)	N/A
Sport and leisure structures (G02)	low importance (L)	N/A
Other human intrusions and disturbances (G05)	low importance (L)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	low importance (L)	N/A
Other ecosystem modifications (J03)	low importance (L)	N/A

2.6.1 Method used – threats expert opinion (1)

2.7 Complementary Information

2.7.1 Species

Salsola tragus (syn. S. kali)
Cakile maritima
Euphorbia peplis
Xanthium strumarium
Eryngium maritimum
Matthiola tricuspidata
Polygonum maritimum
Elymus farctus
Atriplex tatarica
Atriplex prostrata (syn. A. hastata)
Anthemis tomentosa
Euphorbia paralias
Sporobolus pungens
Tetraena alba (syn: Zygodphyllum album)
Artemisia arborescens
Cuscuta scandens

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.7.2 Species method used

Typical species were determined on the basis of a vegetation database, comprised of about 22000 sampling plots. First, a list of possible typical species was determined per habitat type, selecting the ones presenting a high fidelity value to the habitat types according the algorithm of Tsiripidis et al. (2009) and the phi coefficient value (Chytrý et al. 2002). Then typical species per habitat type were selected from the above-mentioned lists by expert judgment and using as criteria species niche breadth, their ability to comprise indicators of habitat types' conservation status and their function as keystone species. The nomenclature of the typical species follows Dimopoulos et al. (2013).

References

Chytrý, M., Tichý, L., Holt, J. & Botta-Dukat, J. 2002. Determination of diagnostic species with statistical fidelity measures. *Journal of Vegetation Science* 13: 79–90.

Dimopoulos, P., Raus, Th., Bergmeier, E., Constantinidis, Th., Iatrou, G., Kokkini, S., Strid, A. & Tzanoudakis, D. 2013: *Vascular plants of Greece: an annotated checklist*. – Berlin: Botanischer Garten und Botanisches Museum Berlin-Dahlem, Freie Universität Berlin; Athens: Hellenic Botanical Society. *Englera* 31: 1-367.

Tsiripidis, I., Bergmeier, E., Fotiadis, G. & Dimopoulos, P. 2009. A new algorithm for the determination of differential taxa. *Journal of Vegetation Science* 20: 233-240.

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

2.7.5 Other relevant information

Complete survey/Complete survey or a statistically robust estimate (3)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

assessment Favourable (FV)
qualifiers N/A

2.8.2 Area

assessment Inadequate (U1)
qualifiers stable (=)

2.8.3 Specific structures and functions (incl Species)

assessment Inadequate (U1)
qualifiers stable (=)

2.8.4 Future prospects

assessment Inadequate (U1)
qualifiers stable (=)

2.8.5 Overall assessment of Conservation Status

Inadequate (U1)

2.8.5 Overall trend in Conservation Status

stable (=)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)

min 6,9 max 6,9

3.1.2 Method used

Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area

stable (0)

3.2 Conversation Measures

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Establish protected areas/sites (6.1)	Legal Administrative One-off	high importance (H)	Inside	Enhance Long term