

Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

NATIONAL LEVEL

1. General information

1.1 Member State	GR
1.2 Habitat code	3280 - Constantly flowing Mediterranean rivers with Paspalo-Agrostidion spec

2. Maps

2.1 Year or period	2007-2018
2.3 Distribution map	Yes
2.3 Distribution map Method used	Based mainly on extrapolation from a limited amount of data
2.4 Additional maps	Yes

BIOGEOGRAPHICAL LEVEL

3. Biogeographical and marine regions

3.1 Biogeographical or marine region where the habitat occurs	Mediterranean (MED)
3.2 Sources of information	<p>Dimopoulos P., Xystrakis F. and Tsiripidis I. 2014. Deliverable A1. Final Catalogue of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 54.</p> <p>Dimopoulos P., Fotiadis G., Tsiripidis I., Panitsa M. and Karadimou E. 2014. Deliverable A2. Report and Literature Database on Habitat Types of Greece – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 210. Tsiripidis I., Xystrakis F., Kasampalis D., Mastrogianni A., Strid A. and Dimopoulos P., 2014. Deliverable A4. Potential Distribution Maps of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, Athens, pages 176. Dimopoulos P., Tsiripidis I., Xystrakis F., Panitsa M., Fotiadis G., Kallimanis A.S. and Kazoglou I. 2014. Deliverable A6. Explanatory Implementation Manual for the Conservation Degree Assessment of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 35. (with Annexes: I. Habitat types protocols, pages 600; II. Explanatory notes on the habitat types protocols selection, pages 4; III. Correspondence of Habitat types protocols with the clusters of vegetation relevés (excel file). Dimopoulos P., Tsiripidis I., Xystrakis F., Kallimanis A.S and Panitsa M. 2014. Deliverable A7. Preliminary Analysis of the Field Data for the Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 16. Θεοδωρόπουλος Κ., Ελευθεριάδου Ε. & Τσιριπίδης Ι. 2006. Ποικιλότητα τύπων οικοτόπων της περιοχής "Στενά Καλαμακίου" του δικτύου "Φύση 2000". Πρακτικά του 4ου Πανελληνίου Λιβαδοπονικού Συνεδρίου της Ελληνικής Λιβαδοπονικής Εταιρείας, Βόλος, 10-12 Νοεμβρίου 2004: 39-49.</p> <p>Θεοδωρόπουλος Κ. 2001. Ζώνες βλάστησης και τύποι οικοτόπων του νομού Θεσσαλονίκης. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΜΔ: 353-381.</p>

4. Range

4.1 Surface area	66,51
4.2 Short-term trend Period	2007-2018

Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

6.2 Condition of habitat Method used	Complete survey or a statistically robust estimate
6.3 Short-term trend of habitat area in good condition Period	20072018
6.4 Short-term trend of habitat area in good condition Direction	Stable (0)
6.5 Short-term trend of habitat area in good condition Method used	Complete survey or a statistically robust estimate
6.6 Typical species	Has the list of typical species changed in comparison to the previous reporting period? No
6.7 Typical species Method used	Typical species were determined on the basis of a vegetation database, comprised of about 22000 sampling plots. First, a list of possible typical species was determined per habitat type, selecting the ones presenting a high fidelity value to the habitat types according the algorithm of Tsiripidis et al. (2009) and the phi coefficient value (Chytrý et al. 2002). Then typical species per habitat type were selected from the above-mentioned lists by expert judgment and using as criteria species niche breadth, their ability to comprise indicators of habitat types' conservation status and their function as keystone species. The nomenclature of the typical species follows Dimopoulos et al. (2013). References Chytrý, M., Tichý, L., Holt, J. & Botta-Dukát, J. 2002. Determination of diagnostic species with statistical fidelity measures. <i>Journal of Vegetation Science</i> 13: 79–90. Dimopoulos, P., Raus, Th., Bergmeier, E., Constantinidis, Th., Iatrou, G., Kokkini, S., Strid, A. & Tzanoudakis, D. 2013: Vascular plants of Greece: an annotated checklist. – Berlin: Botanischer Garten und Botanisches Museum Berlin-Dahlem, Freie Universität Berlin; Athens: Hellenic Botanical Society. Englera 31: 1-367. Tsiripidis, I., Bergmeier, E., Fotiadis, G. & Dimopoulos, P. 2009. A new algorithm for the determination of differential taxa. <i>Journal of Vegetation Science</i> 20: 233-240.
6.8 Additional information	Assumption: 90% of habitat area is estimated to be in good condition.

7. Main pressures and threats

7.1 Characterisation of pressures/threats

Pressure	Ranking
Modification of hydrological flow or physical alteration of water bodies for agriculture (excluding development and operation of dams) (A33)	M
Logging without replanting or natural regrowth (B05)	H
Sports, tourism and leisure activities (F07)	M
Mixed source pollution to surface and ground waters (limnic and terrestrial) (J01)	M
Other invasive alien species (other than species of Union concern) (I02)	H
Drainage (K02)	H
Conversion from one type of agricultural land use to another (excluding drainage and burning) (A02)	H
Intensive grazing or overgrazing by livestock (A09)	H
Threat	Ranking
Modification of hydrological flow or physical alteration of	M

Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

water bodies for agriculture (excluding development and operation of dams) (A33)

Sports, tourism and leisure activities (F07)	M
Mixed source pollution to surface and ground waters (limnic and terrestrial) (J01)	M
Other invasive alien species (other than species of Union concern) (I02)	H
Drainage (K02)	H
Flooding (natural processes) (M08)	M
Conversion from one type of agricultural land use to another (excluding drainage and burning) (A02)	H
Droughts and decreases in precipitation due to climate change (N02)	M

7.2 Sources of information

PRESSURES: Based mainly on expert judgement and other data.
THREATS: Based on expert opinion.

7.3 Additional information

8. Conservation measures

8.1 Status of measures

a) Are measures needed?	Yes
b) Indicate the status of measures	Measures needed but cannot be identified

8.2 Main purpose of the measures taken

8.3 Location of the measures taken

8.4 Response to the measures

8.5 List of main conservation measures

()

8.6 Additional information

9. Future prospects

9.1 Future prospects of parameters

a) Range	Good
b) Area	Good
c) Structure and functions	Good

9.2 Additional information

10. Conclusions

10.1. Range

Favourable (FV)

10.2. Area

Favourable (FV)

10.3. Specific structure and functions (incl. typical species)

Favourable (FV)

10.4. Future prospects

Favourable (FV)

10.5 Overall assessment of Conservation Status

Favourable (FV)

Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

10.6 Overall trend in Conservation Status

Stable (=)

10.7 Change and reasons for change in conservation status and conservation status trend

a) Overall assessment of conservation status

Improved knowledge/more accurate data
Use of different method

The change is mainly due to: Improved knowledge/more accurate data

b) Overall trend in conservation status

No change

The change is mainly due to:

10.8 Additional information

11. Natura 2000 (pSCIs, SCIs, SACs) coverage for Annex I habitat types

11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network (in km² in biogeographical/marine region)

a) Minimum
b) Maximum
c) Best single value 27,78

11.2 Type of estimate

Minimum

11.3 Surface area of the habitat type inside the network Method used

Complete survey or a statistically robust estimate

11.4 Short-term trend of habitat area in good condition within the network Direction

Stable (0)

11.5 Short-term trend of habitat area in good condition within network Method used

Complete survey or a statistically robust estimate

11.6 Additional information

The change in 11.1 (in comparison to the previous report) is due to the updated mapping datasets on terrestrial habitat types within the Natura 2000 network (pSCIs, SCIs and SACs), based on the most recent national project (results became available in 2018). As this project did not include the extended areas of the Natura 2000 sites, nor the newly proposed SCIs, the surface area reported is the minimum.

12. Complementary information

12.1 Justification of % thresholds for trends

12.2 Other relevant information